

ADMH SAIS
Submission Guide

Version 1.2

Prepared by Praneeth K Medehal

Date 2/23/2024

Table of Contents

1.	Introduction	5
1.1	Terms and Definitions	5
1.2	Purpose	5
2.	Required Data Sets and Dependencies	5
3.	Method and Frequency of Data Submission	6
4.	Data Submission Options	6
4.1	XML File Submission through SFTP Folder	7
4.2	XML File Submission through WITS Upload	11
4.3	XML File Naming and File Type	25
4.4	XML Schema Validation	25
4.5	Validation Errors	26
5.	Tracking Changes & Submission Actions	27
5.1	Tracking Changes.....	27
5.2	Deleting Data	27
5.3	Submission Actions.....	28
5.4	Add/Update.....	28
5.5	Delete.....	30
5.6	Duplicates.....	32
6.	General Overview of the Alabama WITS Data Sets	33
6.1	Description	33
6.2	Key Fields.....	33
6.3	Additional Business Rules.....	33
6.4	Additional Guidance (If Applicable)	33
6.5	Fields.....	33
7.	Validation Errors, Warnings, and Guidance	34
7.1	Errors.....	34
7.2	Error Types.....	35
7.3	Guidance	37
8.	Client Data Set	37
8.1	Submitting Client Data.....	37
8.2	Client Data Set Entities Diagram	38

8.3	Client Profile.....	38
9.	Treatment Episode Data Set	51
9.1	Submitting Treatment Episode Data	51
9.2	Treatment Episode Entities Diagram.....	52
9.3	Client Intake	53
9.4	Client Screener.....	63
9.5	ADMH Placement Assessment.....	74
9.6	ADMH Update Assessment	188
9.7	Discharge.....	230

List of Tables

Table 1:	Record of Changes	4
Table 2:	Terms and Definitions	5
Table 3:	Error Types Table	35
Table 4:	Client Profile Fields Table	39
Table 5:	Client Race Fields Table	45
Table 6:	External Client Address ID Fields Table	47
Table 7:	External Client Record ID Fields Table.....	53
Table 8:	External Client Presenting Problem Fields Table	61
Table 9:	External Uncope Record Fields Table	64
Table 10:	External Crafft Record Fields Table	69
Table 11:	External ADMH Placement Assessment Fields Table	75
Table 12:	Dimension 1 Fields Table	79
Table 13:	External ADMH Placement Assessment Withdrawal Symptoms Fields Table.....	96
Table 14:	External Substance Use History Record Fields Table	98
Table 15:	External ADMH Placement Assessment Dimension 2 Fields Table.....	105
Table 16:	Dimension 2 Medical Withdrawal Symptoms Fields Table	113
Table 17:	Dimension 3 Medical Withdrawal Symptoms Fields Table	114
Table 18:	External Orientation Record ID Fields Table	122
Table 19:	Dimension 3 General Appearance Dress Fields Table	124
Table 20:	External Grooming Record Id Fields Table.....	125
Table 21:	External Facial Expression Record Id Fields Table.....	127
Table 22:	External Mood Record Id Fields Table.....	129
Table 23:	External Affect Record Id Fields Table.....	131
Table 24:	External Speech Record Id Fields Table	132
Table 25:	External Immediate Memory Record Id Fields Table	134
Table 26:	External Recent Memory Record Id Fields Table	136
Table 27:	External Remote Memory Record Id Fields Table.....	138
Table 28:	External Thought Process Record Id Fields Table	139

Table 29: External Thought Content Record Id Fields Table.....	141
Table 30: External Judgement Record Id Fields Table	143
Table 31: External Insight Record Id Fields Table.....	145
Table 32: Dimension 4 Fields Table	146
Table 33: Dimension 5 Fields Table	150
Table 34: Dimension 6 Fields Table	162
Table 35: Assessed Level of Care Fields Table	179
Table 36: External Diagnosis Code Record Id Fields Table.....	184
Table 37: Review and Sign Off Fields Table	187
Table 38: External Update Assessment Record Id Fields Table	188
Table 39: Client Info and Services Fields Table	194
Table 40: Criteria Questions Fields Table	202
Table 41: Assesses Level of Care Fields Table	227
Table 42: External Discharge Fields Table.....	231

List of Figures

No table of figures entries found.

Record of Changes

Table 1: Record of Changes

Date	Version	Author(s)	Brief Description of Change
2/24/2024	1.0	Praneeth K Medehal	Initial Submission to ADMH
3/21/2024	1.1	Praneeth K Medehal	Updated SSN info on Page 40 Added Guidance to ADMH Placement Assessment Record Id on Page 77
2/25/2026	1.2	Kevin Sutter	Corrected errors in XML, Examples 1 &2 Section 5.5

1. Introduction

The **Alabama (AL) Provider Submission Guide** provides an overview, description, and outline of the various components of the Alabama Department of Mental Health (ADMH) including:

- [Required Data Sets and Dependencies](#)
 - [Client Data Set](#)
 - [Treatment Episode Data Set](#)
- [Method and Frequency of Data Submission and Data Submission Options](#)
- [Validation Errors, Warnings, and Guidance](#)
- [Vocabulary](#)
- [XML Schemas](#)

1.1 Terms and Definitions

Table 2: Terms and Definitions

Term	Description
ADMH	Alabama Department of Mental Health
SFTP	Secure File Transfer Protocol
TEDS	Treatment Episode Data Set
XML	Extensible Markup Language
XSD	XML Schema Definition

1.2 Purpose

ADMH collects Client and Treatment level data from licensed providers to meet state and federal data (TEDS, etc.) reporting requirements. Providers upload XML files into Alabama WITS to create Client records and Treatment Episode records like (Intake, Screener, ADMH Placement Assessment, ADMH Update Assessment, Outcome Measures, Client Program Enrollment and Discharge) associated with the client record.

The **AL Provider Submission Guide** specifies the data files and file layout requirements for collecting and reporting required data on individuals served by ADMH licensed treatment providers. The guide also includes technical guidance for a provider agency to understand how to create file submissions to Alabama WITS, how to submit those files, validation rules and how to correct errors.

2. Required Data Sets and Dependencies

The required data sets and their dependencies in ADMH are shown below. These datasets are explained in detail in further sections in this guide. The two data sets are:

1. “Client Data Set” that captures Client demographics data.
2. “Treatment Episode” that captures Client treatment episode data.

The data set dependencies within ADMH are:

The Treatment Episode Data Set is dependent upon Client Data Set.

Data Set files must be processed where the parent data set(s) are processed before child data set(s).

- Alabama WITS will display a validation error when a child data set record is missing a corresponding parent data set record. **Example:** Client Profile should exist before a Treatment Episode can be submitted.
- When files for multiple data set types are submitted at the same time for record creation, the records should be submitted in Parent (Client Profile) and Child (Treatment Episode) order.
- When files for multiple data set types are submitted at the same time for record updates, Alabama WITS will automatically process the files in the correct parent/child order.
- When submitting individual data set records, follow the required hierarchy to avoid receiving dependency related validation errors.

3. Method and Frequency of Data Submission

The providers will either drop the files into SFTP folders or log into Alabama WITS and click on the “Clinical File Management” menu item under “Agency” to upload files. Sections # 4.1. And 4.2 below explains with screenshots about how to upload the files via “SFTP Folders” and “Clinical File Management” menu item under “Agency” in Alabama WITS.

Data uploaded are processed when the scheduled process runs. After the process validates the submitted data, providers can view the files that show the records which did not pass validation in “Clinical File Profiles” “Error Screen” as shown in section# 4.2 screenshots.

4. Data Submission Options


Providers can create records in Alabama WITS in 2 ways as listed below. ADMH will provide access to the required “Role” needed for the Providers to upload the XML files.

- Providers can upload XML files through SFTP folders.
- Providers can upload XML files by logging in into Alabama WITS and using file import functionality.

4.1 XML File Submission through SFTP Folder


Every licensed provider will be given access to their respective agency SFTP folder by ADMH to upload the XML files. Providers can either manually drop the XML files or automate the file submission into the folders for record creation. Providers may script this process so that the files are exchanged automatically. The XML files must meet requirements for naming, size, and structure as described below in section # 4.3. Below are the screenshots and steps to follow for manual upload process to be successful in Alabama WITS.

1. Login into SFTP server with valid credentials.



Wing FTP Server ©2003-2023 wftpserver.com All Rights Reserved

2. After Successful login, double click on the “PRODUCTION” to upload the files for record Creation/Updates. “UAT” folder should be used only for testing purposes.




WING FTP Server

Upload File New Bookmarks More Actions

/ Alabama SFTP Test includes 0 files & 3 folders

<input type="checkbox"/>	Name	Size	Type	Modified
<input type="checkbox"/>	Production	-	folder	2024-02-14 10:51:59
<input type="checkbox"/>	UAT	-	folder	2024-02-13 16:28:05

3. After clicking on “Production” folder, Providers will find a folder with their respective “Agency Number”. Should double click on that folder.




WING FTP Server

Upload File New Bookmarks More Actions


/ Alabama SFTP / Production includes 0 files & 1 folders

<input type="checkbox"/>	Name	Size	Type	Modified
<input type="checkbox"/>	27	-	folder	2024-02-14 10:52:00


4. Providers should see 2 sub folders after clicking on “Agency Number” folder, one for “Clinical” and one for “Billing”. Double click on “Clinical” folder to upload Clinical files for record Creation/Updates.




5. Providers should see 2 sub folders after clicking on “Clinical” folder, one “IN” folder and one “Archive” folder. Double click on “IN” folder. The files with correct “File Name and File Type” will be moved to “Archive ” folder once the data is sent to the WITS database table.



6. Click on “Upload File” to upload clinical files.




7. Click on “Choose Files” and select the clinical files from your local machine and click on open to upload the files. After the files are uploaded, click on cancel button to see the uploaded files.



4.2 XML File Submission through WITS Upload

ADMH will provide access to licensed providers to login into Alabama WITS and upload the XML files using the file upload option. The XML files must meet requirements for naming, size, and structure as described in section # 4.3.

1. Click on “Agency” menu item as shown below to view “Clinical File Management” option after login.



AL-WITS QA 23.7.0

Help Resources SSRS Reports Snapshot

PM Praneeth Medehal
Montgomery Metro Treatment Center, MMTC Treatment

Home Page

December 13 Hello, Praneeth

Agency

Group List

Clinical Dashboard

Client List

System Administration

Reports

Support Ticket

Announcements

You have no announcements.

Alert List

Search in Agency Search Supervisee Alerts

You have no alerts.

Scheduler

Search Calendar + Edit/Add Schedule

Start Date 12/13/2023 End Date Refresh

You have no appointments.

2. After clicking on “Agency”, user must click on “Clinical File Management” as shown below.

⚠ DO NOT use any real client data. This is NOT a live production site.



AL-WITS QA
23.7.0

SSRS Reports Snapshot ⋮

PM

Praneeth Medehal
Montgomery Metro Treatment Center, MMTC Treatment

 Home Page

 Agency

 Group List

 Clinical Dashboard

 Client List

 System Administration

 Reports

 Support Ticket

Agency

- > Agency List
- > Agency Profile
- Aliases
- Contacts
- > Governance
- > Relationships
- Announcemen...
- > Referrals
- Removed Con...
- Deleted Clients
- Grant Managem...
- GPRA Discharge ...
- GPRA Follow-up ...
- GPRA Follow-up ...
- Overdose Revers...
- > Facility List
- Staff Members
- > Billing
- > Contract Manage...
- Clinical File Mana... 
- Alerts Configurati...

Agency Search

Search

x Clear

Agency List


+ Add New Agency Record

Name v	Display Name v	Description v	⋮
Administrative Agency	Administrative		⋮
Agency for Substance Abuse Prevention	ASAP	1231231230	⋮
Alabama Department of Mental Health (Contractor)	ADMH		⋮
Anusha Test	Anusha Test		⋮
Anusha's Prevention	Prevention Agen		⋮
Birmingham Recovery Center	Birmingham RC		⋮
CGE Provider Agency	CGE Provider Ag		⋮
Contractor	Contractor		⋮
Example Provider Agency	Ex Provider		⋮

Submission Guide
Version 1.2

Page 12

3. User should see the below screen when clicked on “Clinical File Management” where user must click on “+Add Clinical File” in “Clinical File List” section as shown below to manually upload the XML files.



The screenshot shows a web application interface for "AL-WITS QA". At the top, there is a warning banner: "DO NOT use any real client data. This is NOT a live production site." The user is logged in as "Praneeth Medehal" at the "Montgomery Metro Treatment Center, MMTC Treatment".

The main content area is titled "Clinical File Import" and contains a form with the following fields:

- File Name:
- Upload Date:
- Status:


Below the form are two buttons: "Search" and "x Clear".

Below the form is a section titled "Clinical File List" which contains a button "+ Add Clinical File" and a message: "Currently, there are no results to display for the Clinical File List." A red arrow points to the "+ Add Clinical File" button.

The left sidebar contains a navigation menu with the following items:


- Home Page
- Agency
- Agency List
- Grant Manage...
- Agency
- GPRA Discharge ...
- Group List
- GPRA Follow-up ...
- GPRA Follow-up ...
- Clinical Dashboard
- Overdose Revers...
- Client List
- Facility List
- Staff Members
- System Administration
- Billing
- Contract Manage...
- Clinical File Man...
- Reports
- Alerts Configurati...
- Support Ticket
- Prevention

4. Providers will see the below screen and Providers must click on “Browse” to find the file on their system and then click on “Upload” to upload the XML files.



The screenshot displays the AL-WITS QA web application interface. At the top, a warning banner reads: "DO NOT use any real client data. This is NOT a live production site." The user is logged in as Praneeth Medehal, associated with the Montgomery Metro Treatment Center, MMTC Treatment. The left sidebar contains navigation options: Home Page, Agency, Group List, Clinical Dashboard, Client List, System Administration, Reports, and Support Ticket. The main content area is titled "Upload Clinical File" and features a section for "Upload a new Clinical File" with a "No File Selected..." status, a "Browse" button (highlighted with a red arrow), and an "Upload" button. Below this, a "Cancel" button is visible. An "Open" file explorer window is overlaid on the interface, showing the "Desktop" location. The file list includes several Microsoft Word documents. The "File name" field is empty, and the "File type" is set to "All files".

5. Providers will see the below error messages on the screen if the file name is not in **ALClientDataSet_YYYYMMDDHHMMSS.XML** format and/or the file extension is not **.XML**. Providers must make appropriate corrections and reupload the file.



The screenshot displays the AL-WITS QA interface. At the top, a warning banner reads: "DO NOT use any real client data. This is NOT a live production site." The user is logged in as Praneeth Medehal, PM, at the Montgomery Metro Treatment Center, MMTC Treatment. The left sidebar contains navigation options: Home Page, Agency, Group List, Clinical Dashboard, Client List, System Administration, Reports, and Support Ticket. The main content area shows the "Upload Clinical File" section with a "No File Selected..." button, "Browse", and "Upload" buttons. Two error messages are displayed in red boxes: "That file name is invalid." and "The file extension is invalid. The extension must be .xml". Red arrows point to these error messages.

6. Providers when upload .XML files with correct file naming format, Providers will see a success message as shown below with the uploaded file along with Uploaded Date and the file status as “Queued” in the “Clinical File List” section.

⚠ DO NOT use any real client data. This is NOT a live production site.



SSRS Reports
Snapshot
⋮



Praneeth Medehal
 Montgomery Metro Treatment Center, MMTC Treatment

Agency

Home Page > Agency List

Agency

Clinical File Man...

✔ was uploaded successfully. ✕

Clinical File Import

File Name

Upload Date

Status

Queued

Search
✕ Clear

Clinical File List

+ Add Clinical File

File Name	Uploaded Date	Status
.xml	12/12/2023	Queued

7. After the files are uploaded and in “Queued” status, scheduled process will run that will perform data validation to check for the required information to create the records in WITS. Providers can see the status of the file after the process is complete. Below are the different statuses that Providers will see depending upon the file uploaded.

1. If Providers see “Queued” status for a file uploaded it basically means, the file has passed file extension type (.XML) and file name format (**ALClientDataSet_YYYYMMDDHHMMSS.XML**) validation and the file is ready to be processed when the scheduled process runs.

2. If Providers see “Processed” status for a file uploaded it basically means, no errors were found in any record submitted in that uploaded file and the records are created successfully.
 3. If Providers see “Processed with Errors” status for the file uploaded it basically means, one/many records in the file may have errors and some records are successfully created in WITS that had that had complete information to create a record.
 4. If Providers see “Failed” status for a file uploaded it basically means, no record was created and the complete file that was uploaded is failed.
8. Providers can click on the ellipses at the end and click on “Profile” to look at the profile information. Providers can also “Download” the file. Providers can only “Delete” the file when the status of the file is either “Queued” or “Failed”.

⚠ DO NOT use any real client data. This is NOT a live production site.


AL-WITS QA

SSRS Reports
Snapshot
⋮

PM
Praneeth Medehal
Montgomery Metro Treatment Center, MMTC Treatment

Home Page

Agency

Agency List

Agency

Clinical File Man...

was uploaded successfully.

Clinical File Import

File Name
.xml

Upload Date
12/12/2023

Status

Queued

Search
x Clear

Clinical File List

+ Add Clinical File

File Name	Uploaded Date	Status	⋮
.xml	12/12/2023	Queued	<div style="border: 1px solid #ccc; background-color: white; padding: 2px; text-align: center; font-size: 0.7em;"> Delete Profile Download </div>

Agency

Home Page

Agency

Clinical File Man...

Clinical File Profile

File Name	<input type="text"/>	Uploaded By	<input type="text"/>
Status	<input type="text" value="Queued"/>	Upload Date	<input type="text" value="12/12/2023"/>
Provider Agency	<input type="text" value="Montgomery Metro Treatment Center"/>	Process Start Date	<input type="text"/>
Process End Date	<input type="text"/>		

Finish

Administrative Actions

Download

Errors

Export

Currently, there are no results to display for Errors.

⚠ DO NOT use any real client data. This is NOT a live production site.

Agency

Home Page

Agency

Clinical File Man...

Clinical File Profile

File Name	Uploaded By
<input type="text"/>	<input type="text"/>
Contractor Agency	Upload Date
Alabama Department of Mental Health (Contract	12/7/2023
Status	Process Start Date
Processed	12/7/2023
Provider Agency	Process End Date
Montgomery Metro Treatment Center	12/7/2023

Finish

Errors

Export

Currently, there are no results to display for Errors.



Agency

Clinical File Profile

File Name	Uploaded By
<input type="text"/>	<input type="text"/>
Contractor Agency	Upload Date
Alabama Department of Mental Health (Contract	12/7/2023
Status	Process Start Date
Processed with Errors	12/7/2023
Provider Agency	Process End Date
Montgomery Metro Treatment Center	12/7/2023

Finish

Errors

Export

Code	Message
<input type="text"/>	<input type="text"/>

Clinical File Man...

Agency

Home Page

Agency

Clinical File Man...

Clearing Hous...

Cost Center

Clinical File Profile

File Name	Uploaded By
<input type="text"/>	<input type="text" value="E"/>
Contractor Agency	Upload Date
Alabama Department of Mental Health (Contract	12/6/2023
Status	Process Start Date
Failed	12/6/2023
Provider Agency	Process End Date
Montgomery Metro Treatment Center	12/6/2023

Finish

Errors

Export

Code	Message
<input type="text"/>	<input type="text"/>

9. After the files are successfully processed and records without any errors are created, Providers can search for the created client record using “ExternalClientId” from the “Client Search” screen as shown below.

- Click on “Advanced Search” and select the “Number Type” as “External Record ID” and enter the client’s “External Client Record Id” in the “Other Number” field and hit search. User will be able to see the created client record.

⚠ DO NOT use any real client data. This is NOT a live production site.

WITS 23.7.0 AL-WITS QA SSRS Reports Snapshot PM Praneeth Medehal
Montgomery Metro Treatment Center, MMTC Treatment

Client Search


Number Type: External Record Id Other Number: XXXXXX

Search **Advanced Search** **x Clear**

Client List

+ Add Client ↗ Export

Full Name	Unique Client #	SSN
[Redacted]	[Redacted]	[Redacted]



10. Providers can then click on the ellipses at the end and click on “Profile” that would open the record for the user.

⚠ DO NOT use any real client data. This is NOT a live production site.

 **AL-WITS QA**

SSRS Reports Snapshot ⋮



- Home Page
- Agency
- Client List

Client Search

Number Type
External Record Id

Other Number
XXXXXX


Search Advanced Search ^ x Clear

Client List

+ Add Client ↗ Export

Full Name	Unique Client #	SSN	
[Blurred Name]	[Blurred ID]	[Blurred SSN]	<div style="border: 1px solid #ccc; padding: 2px; font-size: 0.8em;">Profile</div>

11. When clicked on “Profile” Providers will be able to see the client record. Providers can also see “Treatment Episode” records associated with that client by clicking on “Activity List” if they are uploaded along with the client record else, they can see them when they upload the records. Treatment Episode records cannot be created without a client Profile created first.



Client Profile

[Hide Context Information](#)

Unique Client Number	State Client ID	External Record Id XXXX	
Created By	Created Date 9/27/2021 3:52 PM	Updated By	Updated Date 8/14/2023 1:14 PM

First Name: test

Middle Name:

Last Name: 1

Mother's Maiden Name:

Suffix:

Sex at Birth: Female

Gender Identity:

DOB: 9/7/2000

SSN: 999-99-9999

Provider Client ID:

Driver's License:

Has paper file: Yes No

Upload Profile Image

No File Selected...

The XML files must meet requirements for naming, type, and structure as described below.

4.3 XML File Naming and File Type

All filenames submitted to Alabama WITS must adhere to these three requirements:

1. The name of the data set must be the first word in the file, followed by an underscore.
2. The filename must be unique in the submitters set of currently uploaded and unprocessed files. See examples below.
3. The file must end with “.XML”.

Any filename that does not meet these requirements will not be processed into Alabama WITS and an error will be logged into an error log and the errors will be sent by an email to the “Agency Contact Email Address” when uploads are done via SFTP folders. when uploads are done via ALABAMA WITS UI, an error message will be displayed on the screen. The Providers must make appropriate changes and reupload the XML files to process. The required data set name for each data set are listed below:

- ClientDataSet for “Client Profile”
- TreatmentEpisodeDataSet for “Treatment Episode”

Some examples of acceptable filenames are:

- ClientDataSet_abc123.XML
- TreatmentEpisodeDataSet_xyz456.XML

4.4 XML Schema Validation

When submitting files to Alabama WITS, submitters are encouraged to first validate their XML file(s) against the provided XML schema definition file (i.e., XSD) for each given data set. Submitting validated XML files will eliminate the chance of files being rejected when processed by Alabama WITS.

Note that passing schema validation does not guarantee acceptance of each record into Alabama WITS; it only guarantees that the file will be processed, and each record evaluated individually. It relies on schema validation to enforce the general structure of a data set file, but most of the validation rules occur after schema validation as described below.

4.5 Validation Errors

After Providers upload XML files to Alabama WITS either through SFTP folder or File Upload functionality in Alabama WITS, they pass through several layers of validation.

- File schema/name/type validation errors will be emailed to “Agency Contact Email Address” if the upload is done through SFTP folders.
- For uploads through File Upload functionality in Alabama WITS, the file name/type validation errors will be displayed on the WITS screen.
- Data validation errors will be recorded and will be accessible on the “Clinical File Profiles” screen’s error section in Alabama WITS.

The validation steps and results are as follows:

1. **Schema Validation:** Confirms that the uploaded file is a valid XML file containing a structure that matches the expected structure defined in the XSD file.
 - a. No notification when it’s a success.
 - b. **Failure:** Error logged; processing impact depends on failure. If the file cannot be interpreted as an XML file (for example, a non-XML file is uploaded), processing will halt. Email will be sent to the “Agency Contact Email Address” for SFTP uploads and error will be displayed on the upload screen when uploads are done through Alabama WITS upload functionality. If the file is a valid XML file but the structure is incorrect for a record (for example, if a ExternalClient record contains <FristNaem>Susan</FristNaem>) then that record will fail but processing will continue to check for all errors in the record and continue with other records in the submitted file to process.
2. **File Name/Type Validation:** Confirms that the submitted file meets the file naming criteria specified in section # 4.3, "XML File Naming and File Type".
 - a. **Success:** XXXX was uploaded successfully.
 - b. **Failure:** Error logged, and processing stops on the file. Email will be sent to the “Agency Contact Email Address” for SFTP uploads and error will be displayed on the upload screen when uploads are done through Alabama WITS upload functionality.
3. **Data Set Validation:** After the submitted file passes the above validation, the file will be in “Queued” status and can be seen in

“Clinical File List” screen as shown in section# 4.2 and the files will go through data validation process. when a file upload is initiated with one or more client’s information either through SFTP folders or File Upload functionality in Alabama WITS, the process would check for errors in submitted file and once the validation is complete and record creation is complete, the files will be in one of the below statuses.

- a. **Processed:** No errors are found in the submitted file and one/all records in submitted files are created successfully.
- b. **Processed with Errors:** One/More records with valid and complete data are created and one/more records with invalid and/or incomplete data are not created.
- c. **Failed:** No records are created as the submitted file has invalid and/or incomplete data for all the records submitted in the file.

5. Tracking Changes & Submission Actions

5.1 Tracking Changes

Submitting Entities can track changes in their system and can submit changed records when data needs to be updated. Nevertheless, Alabama WITS polling process can automatically determine whether each portion of a data set needs to be added or updated. An entire record can be submitted and by using unique External Record Identifiers and key fields on the submitted record, the system will determine how to handle the record. If the External Record Identifiers in the submitted record are not found in WITS database, then a new record is created. If the External Record Identifiers in the submitted record are found in WITS database, then the newly submitted information will be used to update the existing records in WITS. Only the information that has changed will be updated.

In each data set entity section, you will find the key fields listed which determine uniqueness and are used to determine whether a record must be created or updated.

5.2 Deleting Data

Deleting data in Alabama WITS is optional and conditional. Client Record, Client Intake and Client Screener can be deleted only when the specified individual records do not have any other client activity associated with them.

Example 1: If Client record (Profile) needs to be deleted, there should be no further activity like (intake, screener.....etc.) associated with that client in WITS.

Example 2: If Client Intake record needs to be deleted, there should be no further activity like (screener, Assessments.....etc.) associated with that client in WITS.

Example 3: Client physical address can be deleted only if the client profile has at least one other address attached to the client profile record. Client physical address section cannot be NULL.

5.3 Submission Actions

In XSD, an action is specified by setting an attribute. The below mentioned attribute should be used for specific actions as explained below in sections # 5.4 and 5.5.

```
<xs:attribute name="action" type="xs:string"/>
```

5.4 Add/Update

`<xs:attribute name="action" type="xs:string"/>` is an optional attribute when a client record/sub record needs to be added or updated. The action should be empty if providers do not want to mention an action for Add/Update(Ex: `<PresentingProblemCategory action="">`). Every record and sub record will have a “External Record Id” associated with them. When an XML file is uploaded either through SFTP or through WITS upload and when the scheduled process runs, the process would search for that “External Record Id” associated with the submitted record/sub record in WITS database and will identify if it is a new record or an update to an existing record. If the “External Record Id” is found, the process will update with the new updates in the submitted record. If the “External Record ID” is not found, the process will create a new record. When Client profile records are submitted, the process will check for a potential duplicate record and if not found, a new record is created. Section # 5.6 will explain about duplicates. Add/Update can be submitted in 2 ways as shown in the below examples.

Example 1: If providers want to add new type of physical address to client record (original file only had billing address and this file has home address info), providers could send

```
<ClientDataSet>
<Client>
<ExternalClientRecordId>ClientABC123</ExternalClientRecordId>
<ClientPhysicalAddress>
<ExternalCleintAddressID>Address1234</ExternalClientAddressID>
<TypeCode>8600.1</TypeCode>
```

```
<FirstStreestAddress>abc st</FirstStreetAddress>
<SecondStreestAddress>Apt 101</SecondStreetAddress>
<CityName>City1</FirstStreetAddress>
<StateCode>CA</StateCode>
<ZipCode>95928</ZipCode>
<CountyCode>countycode</CountyCode>
<ClientPhysicalAddress>
<Client>
<ClientDataSet>
```

Note: Processor would check if ClientABC123 ExternalClientId is existing or not. If match is found then system checks if address1234 ExternalClientAddressID is existing or not, if match is not found, then system creates a new address record for the client else, an error is produced. See section # 8 for errors.

Example 2: If clients last name needs to be updated, providers could send

```
<ClientDataSet>
<Client>
<LastName>Test</LastName>
<ExternalClientId>ClientABC123</ExternalClientId>
</Client>
<ClientDataSet>
```

Note: Processor would check if ClientABC123 ExternalClientId is existing or not. If match is found, then the system will update the last name. If the system does not find an existing record, an error is produced. See section # 7 for errors.

Example 3: Providers can also send an update file with empty xml tags. The system would only update the fields that has data on the xml upload.

```
<ClientDataSet>
<Client>
<FirstName></FirstName>
<LastName>Test</LastName>
<ExternalClientId>ClientABC123</ExternalClientId>
</Client>
<ClientDataSet>
```

Note: Since there is no data in the First Name field in the submitted xml file, the system would ignore the First Name field and just update the Last Name field. And the update will only happen if the processor finds the ExternalClientRecordId in WITS database. If the system does not find an existing record, an error is produced. See section # 7 for errors.

Example 4: If clients first street address needs to be updated, providers could send

```
<ClientDataSet>
<Client>
<ClientPhysicalAddress action="">
<ExternalClientRecordId>ClientABC123</ExternalClientRecordId>
<ClientPhysicalAddress>
<ExternalCleintAddressID>Address123</ExternalClientAddressID>
<FirstStreestAddress>abc st</FirstStreetAddress>
<ClientPhysicalAddress>
</Client>
<ClientDataSet>
```

Note: Processor would check if ClientABC123 ExternalClientRecordId is existing or not. If match is found then system checks if address123 ExternalClientAddressID is existing or not, if match is found, then system updates the existing first street address. If the system does not find an existing record, an error is produced. See section # 7 for errors.

5.5 Delete

<xs:attribute name="action" type="xs:string"/> is a required attribute when a client record/sub record needs to be deleted. On the “XSD” we placed this attribute for specific records/sub records that can be deleted based on below conditions.

- Client “Profile” can be deleted, and the condition is that the profile has no further client activity associated with that Client in WITS.
- Client “Intake” can be deleted, and the condition is that the profile has no further client activity associated with that Client in WITS.
- Client “Uncope Screener or Crafft screener” can be deleted, and the condition is that the profile has no further client activity associated with that Client in WITS.

- Sub records like “Physical Address” in “Client Profile” can be deleted, and the condition is that a client profile’s physical address sub record should have at least 1 record attached to the Client Profile after the deletion occurs. No sub record can have a “Null” value after a delete request is submitted. The process will error out the record if the sub record has “Null” values. See section # 7 for errors.
- Providers can delete a selected option from a sub record, and the condition is that the sub record should have at least 1 value attached to the sub record after deletion occurs. **Example:** “Race” sub record in Client Intake can have one/more options selected when the initial “Intake” was created. User can now delete one/more options from “Race” sub record but, the condition is that “Race” sub record cannot be “Null or empty” with no value. The process would be errored out if the sub record has “Null” values. See section # 7 for errors.
- Delete request can be submitted in 2 ways.
 1. Providers can just send the sub record information with key fields and request for delete and based on the condition that the sub record should not be NULL, the action would take place. If the condition is not met, the record will be errored out and the errors can be seen in “Clinical File Profile” “Error” section.
 2. Providers can send the delete requests for the sub record as part of a complete record submission and if the condition is not met, other sections in that record will be updated and the delete request will be flagged as an error and the errors can be seen in “Clinical File Profile” “Error” section.

Delete request can be submitted as shown in the below examples:

Example1: If Providers wanted to delete the Client record, Providers could send:

```
<ClientDataSet>
  <Clients>
    <Client action=delete>
      <ExternalClientRecordID>ClientAb123</ExternalClientRecordID>
    </Client>
  </Clients>
</ClientDataSet>
```

- Processor would perform validations needed to delete and then delete the client record. Deleting the client record would also delete the sub record (Physical Address) associated with it.
- Processor will produce an error if any other client activity is found other than just client profile.

Example 2: If Providers wanted to delete the Client Physical Address record, providers could send:

```
<ClientDataSet>
  <Clients>
    <Client>
      <ExternalClientRecordID>ClientAb123</ExternalClientRecordID>
      <ClientPhysicalAddresses>
        <ClientPhysicalAddress action=delete>
          <ExternalClientPhysicalAddressRecordID>Address123</ExternalClientPhysicalAddressRecordID>
        </ClientPhysicalAddress>
      </ClientPhysicalAddresses>
    </Client>
  </Clients>
</ClientDataSet>
```

- Processor would perform validations needed to delete and then delete the client physical address. Deleting one client physical address would not delete any other Physical addresses associated with the client record.
- Processor will produce an error if only 1 address is found in the client record to delete. Client record should have at least 1 address attached to the client record.

Note: System would just delete address record with External Record Id “Address123”. Other address records will not be impacted (if billing address is requested for delete, then processor would only delete billing address, Home address wouldn’t be impacted).

5.6 Duplicates

This section provides information about the types of duplicate scenarios.

1. When a client SSN provided in the uploaded xml file matches with an existing client’s SSN in the Alabama WITS database, then, the record will be rejected (**Note:** This scenario is relevant when both the existing and submitted client are for same agency).
2. When 999-99-9999 is provided as client SSN in the uploaded xml file and the data provided for “First Name”, “Last Name”, “Gender”, “DOB” and “SSN” matches with an existing client’s values then, the record will be rejected. (**Note:** This scenario is relevant when both the existing and submitted client are for same agency).
3. When a client’s intake record is provided in the uploaded xml file and the system finds an existing intake record with a different “External Client Intake Record ID” for the same client then, the record will be rejected.

6. General Overview of the Alabama WITS Data Sets

This section provides information on the Requirements for each data set, including the outline of the sections of each data set. The data sets are defined in the subsequent sections of this document and are available through the links below:

[AL Client Profile Upload.xsd](#)

[AL Treatment Episode.xsd](#)

There is a hierarchy to the entities within each data set and that hierarchy is reflected in the menu structure of this document. Each data set contains the following sections, for each entity with the respective data set:

6.1 Description

Each data set entity is described in its own section including a summary of each entity including a description of what fields are designed to uniquely identify each instance.

6.2 Key Fields

Key fields represent the combination of fields within an entity that Alabama WITS uses to uniquely identify a record. See the “Tracking Changes” section for more information about how key fields are used to determine whether a record needs to be created, updated or deleted.

6.3 Additional Business Rules

Additional Business Rules are designed to require the submission of sub-entities. These rules also may have conditions. For example, there may be an additional business rule defined at the client entity level that requires that at least one physical address sub-entity be provided.

6.4 Additional Guidance (If Applicable)

Additional Guidance notes, when provided, clarify the intended usage of an entity or to provide examples, if necessary.

6.5 Fields

Each entity contains fields. Each field has a description and a series of validation rules that govern when a field may be required to be reported. These **Field Level Rules** may have a conditional aspect, meaning that a value entered for a field may then require one or more other fields to have a value reported.

7. Validation Errors, Warnings, and Guidance

This section provides an overview and guidance of the validation errors, warnings in place to ensure quality and integrity of data submitted to Alabama WITS. Validation Rules and associated Errors, Warnings, and Guidance are listed at each entity level within the Data Set section. Error messages enable providers to cross-reference the message back to this submission guide. Providers are responsible for monitoring validation errors, correcting the data within the source system if necessary, and ensuring compliance with the requirements.

Linking Data between Data Sets

As a reminder, Alabama WITS is designed to capture data in separate data sets. As described in the [Data Set Dependencies](#) section, these data sets must be submitted with respect to each other, and there are fields that will link the reported data together across the data sets. For example, when submitting a treatment episode, there must be a valid reference to the respective client profile's key field(s).

7.1 Errors

Alabama WITS will not create/update a record that does not pass all validation checks. Examples of errors would be missing a required entity or field or providing an unsupported code value. As explained in the "Tracking Changes & Submission Actions" section, Alabama WITS relies on providers to uniquely identify each record with key fields. When errors are triggered, Alabama WITS keeps track of the key fields of the record(s) that produced the errors, including a summary of 'Failed Records'. If a submitter corrects a mistake that had triggered an error and resubmits the data set via a new submission but including the same key fields for the same records, then Alabama WITS will automatically create/update records in WITS after data validation pass.

7.2 Error Types

Table 3: Error Types Table

Validation	Validation Sub Type	Example	Error Message
File	File format (Xml)	File received type is .pdf	[Upload file] submission failed because file type is invalid
	File Name (ClientDataSet_XXXXX... .xml)	File received has “@” in the name	[Upload file] submission failed because file name is invalid
	Missing Tags Validation	Element in xml file has a missing tag.	The file cannot be processed because end tags are missing.
Data	Invalid Data – data type	Element in xml file has incorrect data type. Eg: date is sent as integer	[External Record ID] of the [failed record name] record from [Upload file] submission failed because [field1], [field2],... had an incorrect data type.
	Invalid Data Format	Element in xml file has incorrect data type. Eg: date is sent as “16th Nov, 2023”	[External Record ID] of the [failed record name] record from the [Upload file] submission failed because [field1], [field2],...had an incorrect data format.
	Invalid Data - Length	Element in xml file has more length than defined.	[External Record ID] of the [failed record name] record from the [Upload file] submission failed because [field] had an incorrect data format.
	Invalid Data - Special Characters (For SSN & Postal Code)	Element in xml file has value that’s contains an unacceptable special character	[External Record ID] of the [failed record name] record from the [Upload file] submission failed because [field1], [field2],...had unacceptable special character in value
	Invalid Data – Accepted values	Element in xml file has value that’s not an acceptable value. Eg: Ethnicity value is sent under gender element	[External Record ID] of the [failed record name] record from the [Upload file] submission failed because [field1], [field2],...had unacceptable values
	Missing Data validation	Element in xml file has value missing that’s required or conditionally required. Eg: Client First Name is blank	External Record ID] of the [failed record name] record from the [Upload file] submission failed because [field1], [field2],...is missing

Validation	Validation Sub Type	Example	Error Message
	Delete Data Validation	Element in xml file has delete request for a record. Eg: Client Intake is requested for Delete that has a Screener dependency.	[External Record ID] of the [failed record name] record from the [Upload file] failed because [dependent record name] exists. [External Record ID] of the [failed record name] cannot be deleted
	Dependency Data Validation	Element in xml element has any dependency and the dependent record or xml element is missing. Eg: Intake record is sent without client contact.	[External Record ID] of the [failed record name] record failed because field [name of field] is required when [dependency field name] = [value of dependency field name]
	Conditional Data validation	Element in Xml is missing and this element is required only if another element is sent. Eg: When contact reason is sent as other, other reason element is required. Also consent code is required when clients age is >17	[External Record ID] of the [failed record name] record was not created from [Upload file] submission . It depends on missing record [missing record name].
	Limited value validation	value sent in the xml element has more than the acceptable limit. This is only valid for elements that can be sent multiple times with multiple values. Eg: race code can only have max of 5 values under client race entity per client	[External Record ID] of the [failed record name] record failed because field [name of field] exceeded the maximum number of entries
	Duplicate value validation	the value sent in the xml element must be unique (same element and same value cannot be sent twice). E.g.: Client Phone Type code must be unique. Two Client Phone elements cannot have the same Type Code	[External Record ID] of the [failed record name] record failed because field [name of field] contained a Duplicate value violation.

Validation	Validation Sub Type	Example	Error Message
	Date value dependance	eg. initial contact date field a cannot be in future.	[External Record ID] of the [failed record name] record failed because field [name of field] contained a date value violation
	Exact Duplicate	Eg: client info from uploaded file already exists in the system	[External Record ID] of the [failed record name] record failed because client [Last Name, First Name] is considered an exact duplicate of client with UCNxxxxx. Dev Note: replace xxx with actual UCN number.
	Limited Record Validation	Eg: A client has an active Intake record and submits new intake with a different "External Intake Record ID".	" [External Record ID] of the [failed record name] record failed because an active record already exists

7.3 Guidance

Guidance statements are provided to help clarify the intent and/or usage of a particular entity or field.

8. Client Data Set

This section provides an overview of the **Client Data Set** structure and requirements.

8.1 Submitting Client Data

A Client record (**ExternalClient**) is required for every client that's created in Alabama WITS or receives treatment services from the provider.


For a new client record creation in Alabama WITS, Providers must submit **Client Data Set** prior to Treatment Episode data set submissions or both data sets can be submitted at the same time in their respective XML files.

Providers should re-submit Client Data Set information when changes occur in the client data.

Providers can submit Delete request for Client Data Set only if the Client has no further client activity like (Intake, Screener,.. etc) associated in Alabama WITS.

8.2 Client Data Set Entities Diagram

The following diagram depicts the relationships between the entities in the Client Data Set. This data identifies a client who received treatment services.



8.3 Client Profile

8.3.1 Description

A **Client Profile** will be unique for every client. Each **External Client** record reported is uniquely identified in Alabama WITS. No two clients can have same client profile.

8.3.2 Key Fields

The fields in the Client Profile that will be used to uniquely identify a record and to determine whether to create a new record or update/delete an existing record is:

Field
External Client Record Id

Note: A **Client Record** can only be deleted if there are no further downstream records attached to the Client Profile (e.g., Intake, Client Screener, ADMH Assessment, etc.)

8.3.3 Additional Guidance

Note

Enter valid SSN, if client DOES NOT have SSN, then use 999-99-9999.

Note: Reason for client not having SSN must be communicated to ADMH prior to setup or claims may be denied.

8.3.4 Fields

Fields and associated validation rules with errors for the **Client Profile**. **Section # 7 describes all possible errors.**

Table 4: Client Profile Fields Table

Field	Description	Validation Rules
External Client Record Id	The provider's internal system identifier for the External Client record. [KEY FIELD]	Data Validation String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because External Client Record Id had an incorrect data type.
		Length Validation

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>External Record Identifier Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field External Client Record Id is missing.</p> <p>Guidance</p> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
First Name	The first name portion of the client's full legal name.	<p>Data Validation</p> <p>String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because First Name had an incorrect data type.</p> <p>Length Validation</p> <p>64 [External Record ID] of the [External Record ID] of the [failed record name] record from [Upload file] submission failed because First Name had an invalid length format.</p> <p>Required Rule Validation</p> <p>First Name Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field First Name is missing.</p>

Field	Description	Validation Rules
Last Name	The last name portion of the client's full legal name	Data Validation
		String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Last Name had an incorrect data type.
		Length Validation
		64 [External Record ID] of the [External Record ID] of the [failed record name] record from [Upload file] submission failed because Last Name had an invalid length format.
		Required Rule Validation
		First Name Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field [name of field] is missing.
Gender Code	The code indicating the sex(gender at birth) of the client.	Data Validation
		String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Gender Code had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [External Record ID] of the [failed record name] record from [Upload file] submission failed because Gender Code is invalid.
		Required Rule Validation
		Gender Code Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field Gender Code is missing.

Field	Description	Validation Rules
Birth Date	The birth date of the client.	Data Validation
		datetime [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Birth Date had an incorrect data type.
		Required Rule Validation
		Birth Date Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field Birth Date is missing.
Birth Date must be less than current date rule	[External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Birth Date is invalid.	Birth Date must be less than current date rule
		Birth Date Format (YYYY-MM-DD) Rule [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Birth Date format is invalid.
Social Security	The Social Security Number of the client.	Data Validation
		String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Social Security had an incorrect data type.
		Length Validation
		24 [External Record ID] of the [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Security had an invalid length format.
Social Security Number Required Rule	[External Record ID] of the [External Record ID] of the [failed record name] record failed because required field Social Security Number is missing.	Social Security Number Required Rule
Ethnicity Code	The code indicating the ethnicity (i.e, Hispanic	Data Validation

Field	Description	Validation Rules
	or Latino origin) of the client.	<p>String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Ethnicity Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Ethnicity Code is invalid.</p> <p>Required Rule Validation</p> <p>Ethnicity Code Required Rule [External Record ID] of the [External Record ID] of the [failed record name] record failed because required field Ethnicity Code is missing.</p>
Veteran Status Code	The code indicating the veteran status of the client.	<p>Data Validation</p> <p>String [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Veteran Status Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [External Record ID] of the [failed record name] from [Upload file] submission failed because Veteran Status Code is invalid.</p> <p>Required Rule Validation</p> <p>Veteran Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Veteran Status Code is missing.</p>
Language Code	The code indicating the preferred language of the client.	<p>Data Validation</p>

Field	Description	Validation Rules
		<p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Language Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] from [Upload file] submission failed because Language Code is invalid.</p> <p>Required Rule Validation</p> <p>Language Code Required Rule [External Record ID] of the [failed record name] record failed because required field Language Code is missing.</p>
Hearing Status Code	The code indicating the hearing status of the client.	<p>Data Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Hearing Status Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] from [Upload file] submission failed because Hearing Status Code is invalid.</p> <p>Required Rule Validation</p> <p>Hearing Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Hearing Status Code is missing.</p>

8.3.5 Client Race

This is a Sub entity of Client Profile.

8.3.5.1 Description

A Client Race record represents a particular race for a client. A client can contain multiple race records. A **Race** will be uniquely identified in the Alabama WITS by the **External Client Race ID** and the **Race Code**. Therefore, no two **Race** records can be submitted with the same Race Code for the same Provider Client.

8.3.5.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create a new record or update/delete an existing record are:

Field
ExternalClientRaceId RaceCode

Note: A **Client Race Record** can only be deleted if there are more than one race attached to the client profile record. Race cannot be NULL for a client record.

8.3.5.3 Fields

Fields and associated validation rules with errors for the **Client Race**. **Section # 7 describes all possible errors.**

Table 5: Client Race Fields Table

Field	Description	Validation Rules
External Client Race Record ID	The Provider's internal system identifier for the Client Race Record [KEY FIELD]	Data Type Validation
		String [External Record ID] of the [failed record name] from [Upload file] submission failed because External Client Race Record ID had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Race Record Id had an invalid length format.
Required Rule Validation		

Field	Description	Validation Rules						
		<table border="1"> <tr> <td>External Client Race Record ID Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field External Client Race Record Id is missing.</td> </tr> </table>	External Client Race Record ID Required Rule	[External Record ID] of the [failed record name] record failed because required field External Client Race Record Id is missing.				
External Client Race Record ID Required Rule	[External Record ID] of the [failed record name] record failed because required field External Client Race Record Id is missing.							
		<p>Guidance</p> <p>The ExternalClientRaceIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>						
Race Code	The Code indicating the type of Race. [KEY FIELD]	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Address Type Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Race Code is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code is invalid.	Address Type Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Race Code is missing.
String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] from [Upload file] submission failed because Race Code is invalid.							
Address Type Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Race Code is missing.							

8.3.6 ExternalClientPhysicalAddress

This is a sub entity of Client Profile.

8.3.6.1 Description

A **Client Physical Address** represents a unique physical address for a client. A client can have multiple **Physical Address** records but only one address for each “Address Type”. A **Client Physical Address** will be uniquely identified in the Alabama WITS by **the External Client**

Address ID and the **Address Type Code**. Therefore, no two Physical Address records can be submitted with the same Address Type Code for the same Client.

8.3.6.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create a new record or update/delete an existing record are:

Field
ExternalClientAddressRecordId Address Type Code

Note: A **Client Physical Address Record** can only be deleted if there are more than one physical address attached to the client profile record. Physical Address cannot be NULL for a client record.

8.3.6.3 Fields

Fields and associated validation rules with errors for the **Client Race**. **Section # 7** describes all possible errors.

Table 6: External Client Address ID Fields Table

Field	Description	Validation Rules
External Client Address Record ID	The Provider's internal system identifier for the Client Address Record. [KEY FIELD]	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Address Record ID had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Address Record Id had an invalid length format.
		Required Value Validation

Field	Description	Validation Rules
		<p>External Client Address ID Required Rule [External Record ID] of the [failed record name] record failed because required field External Client Address Record Id is missing.</p> <p>Guidance</p> <p>The ExternalClientAddressIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
Address Type Code	The code indicating the type of physical address. [KEY FIELD]	<p>Data Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Address Type Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] from [Upload file] submission failed because Address Type Code is invalid.</p> <p>Required Rule Validation</p> <p>Address Type Code Required Rule [External Record ID] of the [failed record name] record failed because required field Address Type Code is missing.</p>
First Street Address	The first street address for this physical location.	<p>Data Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because First Street Address had an incorrect data type.</p> <p>Length Validation</p> <p>256 [External Record ID] of the [failed record name] record from [Upload file] submission failed because First Street Address had an invalid length format.</p>

Field	Description	Validation Rules
		<p>Required Rule Validation</p> <p>First Street Address Required Rule [External Record ID] of the [failed record name] record failed because required field First Street Address is missing.</p> <p>Guidance</p> <p>Note</p> <p>This field is Not Required when the submitted client is “Homeless”.</p>
Second Street Address	The second street address for this physical location	<p>Data Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Second Street Address had an incorrect data type.</p> <p>Length Validation</p> <p>256 [External Record ID] of the [failed record name] record from [Upload file] submission failed because First Street Address had an invalid length format.</p> <p>Guidance</p> <p>Note</p> <p>This is an optional field</p>
County Code	The code indicating the county of this physical location.	<p>Data Validation</p> <p>String Client Physical Address record from [Upload file] submission failed because County Code had an incorrect data type.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values Client record from [Upload file] submission failed because County Code is invalid.</p> <p>Required Rule Validation</p> <p>Address Type Code Required Rule [External Record ID] of the [failed record name] record failed because required field County Code is missing.</p>
City Name	The city name for this physical location.	<p>Data Type Validation</p> <p>String Client Physical Address record from [Upload file] submission failed because City Name had an incorrect data type.</p> <p>Length Validation</p> <p>40 [External Record ID] of the [failed record name] record from [Upload file] submission failed because City Name had an invalid length format.</p> <p>Required Rule Validation</p> <p>City Name Required Rule [External Record ID] of the [failed record name] record failed because required field City Name is missing.</p>
State Code	The code indicating the state for this physical location.	<p>Data Validation</p> <p>String Client Physical Address record from [Upload file] submission failed because State Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values Client record from [Upload file] submission failed because State Code is invalid.</p>

Field	Description	Validation Rules
		Required Rule Validation State Code Required Rule [External Record ID] of the [failed record name] record failed because required field State Code is missing.
Postal Code	The postal code for this physical location.	Data Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Postal Code had an incorrect data type. Length Validation 10 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Postal Code had an invalid length format. Required Rule Validation City Name Required Rule [External Record ID] of the [failed record name] record failed because required field City Name is missing.

9. Treatment Episode Data Set

9.1 Submitting Treatment Episode Data

A Treatment Episode records the client’s treatment activity in each program area at a particular provider from the time the client first contacts the provider through the client’s discharge from services. A Treatment Episode will be uniquely identified in the Alabama WITS by the combination of the External Client ID, External Intake ID and the External record ID’s for the records submitted (e.g., Client Intake, Screener, ADMH Placement Assessment, ADMH Update Assessment, Client Program Enrollment and Discharge). Providers are required to submit a unique Record Identifier for each Treatment Episode related Records. Therefore, no two Treatment Episode records can be submitted with the same External Record ID.

Treatment Episode data must be submitted for all individuals who has an Intake record or who received treatment services from a provider.


For a new client record creation in Alabama WITS, Providers must submit Client Data Set prior to Treatment Episode data set submissions or both data sets can be submitted at the same time in their respective XML files.

Providers can only send updates through “File Upload” process to the following records in a Treatment Episode:

1. Client Intake
2. Client Screener

Note: Providers must contact WITS support team for updates to any other record in Treatment Episode apart from the above-mentioned records.

9.2 Treatment Episode Entities Diagram



9.3 Client Intake

9.3.1 Description

The Client Intake is the beginning of a Treatment Episode, and it defines client activity. The client’s intake is unique for an episode. Each **External Client intake** record submitted is uniquely identified in WITS. No two clients can have same intake record and one client cannot have 2 active intake records for a Treatment Episode. If a client has an active intake record in Alabama WITS and if a second intake is uploaded for the same client with a different “External Client Intake Id”, the record would be rejected. See **section # 7** for “Limited Record Validation” error.

9.3.2 Key Fields

The fields in the Client Intake that will be used to uniquely identify a record, to determine whether to create a new record or update/delete an existing record are:

Field
External Client Record ID
External Client Intake Record ID

Note: A **Client Intake Record** can only be deleted if there are no other further downstream records attached to the client(e.g., Client Screener, ADMH Assessment,... etc.)

9.3.3 Fields

Fields and associated validation rules with errors for the **External Client Intake Record** creation. **Section # 7** describes all possible errors.

Table 7: External Client Record ID Fields Table

Field	Description	Validation Rules
External Client Record Id	The provider's internal system identifier for	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Record ID had an incorrect data type.
		Length Validation

Field	Description	Validation Rules
	the External Client record. [KEY FIELD]	<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>External Client Record ID Required Rule [External Record ID] of the [failed record name] record failed because required field External Client Record Id is missing.</p> <p>Guidance</p> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
External Client Intake Record Id	The provider's internal system identifier for the External Client Intake record. [KEY FIELD]	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Intake Record ID had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Client Intake Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>External Client Intake Record ID Required Rule [External Record ID] of the [failed record name] record failed because required field External Client Intake Record Id is missing.</p>

Field	Description	Validation Rules
		<p>Guidance</p> <p>The ExternalClientIntakeRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
Intake Facility ID	The id designated to the facility where this client intake was created.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intake Facility ID had an incorrect data type.</p> <p>Required Rule Validation</p> <p>External Client Record ID Required Rule [External Record ID] of the [failed record name] record failed because required field Intake Facility ID is missing.</p>
Case Status Code	The Client intake Case Status	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Case Status Code had an incorrect data type.</p> <p>Length Validation</p> <p>10 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Case Status Code had an invalid length format.</p> <p>Required Rule Validation</p> <p>Case Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Case Status Code is missing.</p>

Field	Description	Validation Rules
Is Client Pregnant	Indicates whether the client was pregnant when this intake was created.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant value is invalid.
		Required Rule Validation
		Is Client Pregnant Required Rule [External Record ID] of the [failed record name] record failed because required field Is Client Pregnant value is missing.
		Guidance
		Note
		This is Optional field and only Required when the submitted client is a “Female”.
Wits Intake Date	WITS intake date is the date when the client either contacted the facility or when the client was contacted.	Data Type Validation
		datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Wits Intake Date had an incorrect data type.
		Required Rule Validation
		Wits Intake Date Required Rule [External Record ID] of the [failed record name] record failed because required field Wits Intake Date is missing.
		Wits Intake Date must be less than or equal to current date rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Wits Intake Date is invalid.

Field	Description	Validation Rules
		Wits Intake Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Wits Intake Date format is invalid.
Pregnancy Due Date	Pregnancy Due Date is the date when the client's pregnancy delivery date is due.	Data Type Validation
		datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Pregnancy Due Date had an incorrect data type.
		Required Rule Validation
		Pregnancy Due Date Required Rule [External Record ID] of the [failed record name] record failed because required field Pregnancy Due Date is missing.
		Pregnancy Due Date must be less than or equal to current date rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date is invalid.
		Pregnancy Due Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date format is invalid.
		Guidance
		Note This is Optional field and only Required when the submitted client is a "Female" and "Is Client Pregnant" is "Yes".
Intake County Code	Intake County Code indicate the code of the county where the client intake happened.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intake County Code value had an incorrect data type.
		Vocabulary Validation

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intake County Code value is invalid.</p> <p>Required Rule Validation</p> <p>Intake County Code Required Rule [External Record ID] of the [failed record name] record failed because required field Intake County Code value is missing.</p>
Primary Referral Source Type Code	Primary Referral Source Type Code indicates the individual/org anization that referred the client for intake.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Primary Referral Source Type value had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Primary Referral Source Type value is invalid.</p> <p>Required Rule Validation</p> <p>Primary Referral Source Type Required Rule [External Record ID] of the [failed record name] record failed because required field Primary Referral Source Type value is missing.</p>
Injection Drug User	Injection Drug User indicates if the client is Injection Drug User.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Injection Drug User had an incorrect data type.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Injection Drug User value is invalid.</p> <p>Required Rule Validation</p> <p>Injection Drug User Required Rule [External Record ID] of the [failed record name] record failed because required field Injection Drug User value is missing.</p>
Presenting Problem Description	Presenting Problem Description indicates client's problem in plain text.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Presenting Problem Description had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Injection Drug User Required Rule [External Record ID] of the [failed record name] record failed because required field Presenting Problem Description value is missing.</p>
Initial Contact Type Code	This code indicates the type of contact that occurred initially during the intake.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Initial Contact Type Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Initial Contact Type Code value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		Initial Contact Type Code Required Rule [External Record ID] of the [failed record name] record failed because required field Initial Contact Type Code value is missing.
Is HIV Positive	Is HIV Positive indicates if the client is HIV positive when the intake was done.	Data Type Validation
		String [External Record ID] of the [failed record name] from [Upload file] submission failed because Is HIV Positive value had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is HIV Positive value is invalid.
		Required Rule Validation
		Is HIV Positive Required Rule [External Record ID] of the [failed record name] record failed because required field Is HIV Positive value is missing.

9.3.4 Presenting Problem Category Code

9.3.4.1 Description

Presenting Problem Category record represents the category under which the presenting problem falls in. A client can contain multiple presenting problem Category records. A **Presenting Problem Category** will be uniquely identified in the Alabama WITS by the Client record, and the **Client Presenting Problem Category Code**. Therefore, no two **Client Presenting Problem Category** records can be submitted with the same Code for the same Provider Client.

9.3.4.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create a new record or update/delete an existing record are:

Field
External Client Presenting Problem Category Record Id

Note: A **Client Presenting Problem Category** can only be deleted if there are more than one presenting problem attached to the client record. Presenting Problem Category cannot be NULL for a client intake record.

9.3.4.3 Fields

Fields and associated validation rules with errors for the **External Presenting Problem Category Record** creation. **Section # 7 describes all possible errors.**

Table 8: External Client Presenting Problem Fields Table

Field	Description	Validation Rules
External Presenting Problem Category Record Id	The Provider's internal system identifier for the Client Presenting Problem Category Record.	Data Type Validation String [External Record ID] of the [failed record name] from [Upload file] submission failed because External Presenting Problem Category Record Id value had an incorrect data type.
		Length Validation 50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Record Id had an invalid length format.
		Required Rule Validation External Presenting Problem Category Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Presenting Problem Category Record Id value is missing.
External Presenting	This code indicates the	Data Type Validation

Field	Description	Validation Rules	
Problem Category Code	category of the presenting problem.	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Code value had an incorrect data type.
		Vocabulary Validation	
		Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Code value is invalid.
Other Presenting Problem Description	Indicates any other presenting problem that's not in the provided code list.	Required Rule Validation	
		External Presenting Problem Category Code Required Rule	[External Record ID] of the [failed record name] record failed because required field External Presenting Problem Category Code value is missing.
		Data Type Validation	
Other Presenting Problem Description	Indicates any other presenting problem that's not in the provided code list.	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Other Presenting Problem Description had an incorrect data type.
		Length Validation	
		500	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Other Presenting Problem Description value had an invalid length format.
Other Presenting Problem Description	Indicates any other presenting problem that's not in the provided code list.	Required Rule Validation	
		Other Presenting Problem Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Other Presenting Problem Description value is missing.

Field	Description	Validation Rules
		Guidance Note This is Optional field and only Required when External Presenting Problem Category Code is selected as "Other".

9.4 Client Screener

9.4.1 Description

This section includes a client's responses to a 6 Screening Questions. A Screener record will be uniquely identified in the Alabama WITS.

9.4.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create new record or update/delete an existing record are:

ExternalUncopeRecordId or ExternalCraftRecordId

Note: A **Client Screener Record** cannot be deleted. It can only be updated or replaced by a new Screener.

9.4.3 Uncope Screener

9.4.3.1 Description

Uncope Screener is only "Required" when the client's age is 18 or above. Every Uncope Screener will be uniquely identified in the Alabama WITS.

9.4.3.2 Key Fields

ExternalUncopeRecordId

9.4.3.3 Fields

Fields and associated validation rules with errors for the **External Uncope Record** creation. **Section # 7 describes all possible errors.**

Table 9: External Uncope Record Fields Table

Field	Description	Validation Rules
External Uncope Record Id	The Provider's internal system identifier for the Client Uncope Screener Record.	Data Type Validation
		String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Screener Record ID had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Uncope Record Id value had an invalid length format.
		Required Rule Validation
		External Uncope Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Uncope Record Id value is missing.
		Guidance
		The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.
Uncope Screener Date	This Date indicates the day when this the	Data Type Validation

Field	Description	Validation Rules
	client answered screener questions.	<p>datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Screener Date had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Uncope Screener Date Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Screener Date value is missing.</p> <p>Uncope Screener Date must be greater than or equal to Client Intake date rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Screener Date is invalid.</p> <p>Uncope Screener Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Screener Date format is invalid.</p>
Uncope Question 1	Indicates 1st question on the screener(Have you spent more time drinking or using than you intended to?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 1 had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 1 value is invalid.</p> <p>Required Rule Validation</p> <p>Uncope Question 1 Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Question 1 value is missing.</p> <p>Guidance</p>

Field	Description	Validation Rules
		<p>Note</p> <p>This is Optional field and only Required when the client screener is Uncope.</p>
Uncope Question 2	Indicates 2nd question on the screener(Have you ever neglected some of your usual responsibilities because of alcohol or drugs?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 2 had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 2 value is invalid.</p> <p>Required Rule Validation</p> <p>Uncope Question 2 Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Question 2 value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Uncope.</p>
Uncope Question 3	Indicates 3rd question on the screener (Have you felt you wanted or needed to cut down on your drinking or drug use in the last year?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 3 had an incorrect data type.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 3 value is invalid.</p> <p>Must be a valid vocabulary from the provided code values</p> <p>Required Rule Validation</p> <p>Uncope Question 3 Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Question 3 value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Uncope.</p>
<p>Uncope Question 4</p>	<p>Indicates 4th question on the screener (Has anyone objected to your drinking or drug use? Or has your family, friend, or anyone else ever told you they objected to alcohol or drug use?)</p>	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 4 had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 4 value is invalid.</p> <p>Required Rule Validation</p> <p>Uncope Question 4 Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Question 4 value is missing.</p> <p>Guidance</p> <p>Note</p>

Field	Description	Validation Rules
Uncope Question 5	Indicates 5th question on the screener (Have you ever found yourself preoccupied with wanting to use alcohol or drugs?)	<p>This is Optional field and only Required when the client screener is Uncope.</p> <p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 5 had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 5 value is invalid.</p> <p>Required Rule Validation</p> <p>Uncope Question 5 Required Rule [External Record ID] of the [failed record name] record failed because required field Uncope Question 5 value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Uncope.</p>
Uncope Question 6	Indicates 6th question on the screener (Have you ever used alcohol or drugs to relieve emotional discomfort, such as sadness, anger or boredom?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] from [Upload file] submission failed because Uncope Question 6 had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Uncope Question 6 value is invalid.</p>

Field	Description	Validation Rules				
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Uncope Question 6 Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Uncope Question 6 value is missing.</td> </tr> </table> <p>Guidance</p> <table border="1"> <tr> <td>Note</td> <td>This is Optional field and only Required when the client screener is Uncope.</td> </tr> </table>	Uncope Question 6 Required Rule	[External Record ID] of the [failed record name] record failed because required field Uncope Question 6 value is missing.	Note	This is Optional field and only Required when the client screener is Uncope.
Uncope Question 6 Required Rule	[External Record ID] of the [failed record name] record failed because required field Uncope Question 6 value is missing.					
Note	This is Optional field and only Required when the client screener is Uncope.					

9.4.4 Crafft Screener

9.4.4.1 Description

Crafft Screener is only “Required” when the client’s age is less than 18. Every Crafft Screener will be uniquely identified in the Alabama WITS.

9.4.4.2 Key Fields

ExternalCrafftRecordId

9.4.4.3 Fields

Fields and associated validation rules with errors for the **External Uncope Record creation. Section # 7 describes all possible errors.**

Table 10: External Crafft Record Fields Table

Field	Description	Validation Rules		
External Crafft Record Id	The Provider's internal system identifier for the Client Uncope Screener Record.	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because External Crafft Record ID had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because External Crafft Record ID had an incorrect data type.
		String	[External Record ID] of the [failed record name] from [Upload file] submission failed because External Crafft Record ID had an incorrect data type.	
<p>Length Validation</p>				

Field	Description	Validation Rules										
		<table border="1"> <tr> <td data-bbox="1060 240 1291 386">50</td> <td data-bbox="1291 240 1898 386">[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Crafft Record Id value had an invalid length format.</td> </tr> <tr> <td colspan="2" data-bbox="1060 386 1898 451">Required Rule Validation</td> </tr> <tr> <td data-bbox="1060 451 1291 565">External Crafft Record Id Required Rule</td> <td data-bbox="1291 451 1898 565">[External Record ID] of the [failed record name] record failed because required field External Crafft Record Id value is missing.</td> </tr> <tr> <td colspan="2" data-bbox="1060 565 1898 630">Guidance</td> </tr> <tr> <td colspan="2" data-bbox="1060 630 1898 824"> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p> </td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Crafft Record Id value had an invalid length format.	Required Rule Validation		External Crafft Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Crafft Record Id value is missing.	Guidance		<p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>	
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Crafft Record Id value had an invalid length format.											
Required Rule Validation												
External Crafft Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Crafft Record Id value is missing.											
Guidance												
<p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>												
Crafft Screener Date	This Date indicates the day when this the client answered screener questions.	<table border="1"> <tr> <td colspan="2" data-bbox="1060 824 1898 889">Data Type Validation</td> </tr> <tr> <td data-bbox="1060 889 1291 971">date</td> <td data-bbox="1291 889 1898 971">[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date had an incorrect data type.</td> </tr> <tr> <td colspan="2" data-bbox="1060 971 1898 1036">Required Rule Validation</td> </tr> <tr> <td data-bbox="1060 1036 1291 1239">Crafft Screener Date Required Rule</td> <td data-bbox="1291 1036 1898 1239">[External Record ID] of the [failed record name] record failed because required field Crafft Screener Date value is missing.</td> </tr> <tr> <td data-bbox="1060 1239 1291 1369">Crafft Screener Date must be greater than or equal to Client Intake date rule</td> <td data-bbox="1291 1239 1898 1369">[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date is invalid.</td> </tr> </table>	Data Type Validation		date	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date had an incorrect data type.	Required Rule Validation		Crafft Screener Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Screener Date value is missing.	Crafft Screener Date must be greater than or equal to Client Intake date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date is invalid.
Data Type Validation												
date	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date had an incorrect data type.											
Required Rule Validation												
Crafft Screener Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Screener Date value is missing.											
Crafft Screener Date must be greater than or equal to Client Intake date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date is invalid.											

Field	Description	Validation Rules
		Crafft Screener Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Screener Date format is invalid.
Crafft Question 1	Indicates 1st question on the screener (Have you ever ridden in a car driven by someone (including yourself) who was high or had been using alcohol or drugs?)	Data Type Validation
		String [External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 1 had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 1 value is invalid.
		Required Rule Validation
		Crafft Question 1 Required Rule [External Record ID] of the [failed record name] record failed because required field Crafft Question 1 value is missing.
		Guidance
		Note
		This is Optional field and only Required when the client screener is Crafft.
Crafft Question 2	Indicates 2nd question on the screener (Do you ever use alcohol or drugs to relax, feel better about yourself or fit in?)	Data Type Validation
		String [External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 2 had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 2 value is invalid.

Field	Description	Validation Rules						
		<p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="667 267 1073 378">Crafft Question 2 Required Rule</td> <td data-bbox="1079 267 1890 378">[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Crafft.</p>	Crafft Question 2 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.				
Crafft Question 2 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.							
Crafft Question 3	Indicates 3rd question on the screener (Do you ever use alcohol or drugs while you are by yourself or alone?)	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="667 581 947 691">String</td> <td data-bbox="953 581 1890 691">[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 3 had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="667 760 1073 906">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1079 760 1890 906">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 2 value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="667 974 1073 1084">Crafft Question 2 Required Rule</td> <td data-bbox="1079 974 1890 1084">[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Crafft.</p>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 3 had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 2 value is invalid.	Crafft Question 2 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.
String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 3 had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 2 value is invalid.							
Crafft Question 2 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 2 value is missing.							
Crafft Question 4	Indicates 4th question on the screener (Do you ever forget things	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="667 1295 947 1406">String</td> <td data-bbox="953 1295 1890 1406">[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 4 had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 4 had an incorrect data type.				
String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 4 had an incorrect data type.							

Field	Description	Validation Rules						
	you did while using alcohol or drugs?)	<p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="661 305 1081 451">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1081 305 1900 451">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 4 value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="661 516 1081 630">Crafft Question 4 Required Rule</td> <td data-bbox="1081 516 1900 630">[External Record ID] of the [failed record name] record failed because required field Crafft Question 4 value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the client screener is Crafft.</p>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 4 value is invalid.	Crafft Question 4 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 4 value is missing.		
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 4 value is invalid.							
Crafft Question 4 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 4 value is missing.							
Crafft Question 5	Indicates 5th question on the screener (Do your family or friends ever tell you that you should cut down on your drinking or drug use?)	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 878 955 954">String</td> <td data-bbox="955 878 1900 954">[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 5 had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="661 1019 1081 1166">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1081 1019 1900 1166">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 5 value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="661 1230 1081 1344">Crafft Question 5 Required Rule</td> <td data-bbox="1081 1230 1900 1344">[External Record ID] of the [failed record name] record failed because required field Crafft Question 5 value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 5 had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 5 value is invalid.	Crafft Question 5 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 5 value is missing.
String	[External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 5 had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 5 value is invalid.							
Crafft Question 5 Required Rule	[External Record ID] of the [failed record name] record failed because required field Crafft Question 5 value is missing.							

Field	Description	Validation Rules
		Guidance Note This is Optional field and only Required when the client screener is Crafft.
Crafft Question 6	Indicates 6th question on the screener (Have you ever gotten into trouble while you were using alcohol or drugs?)	Data Type Validation String [External Record ID] of the [failed record name] from [Upload file] submission failed because Crafft Question 6 had an incorrect data type. Vocabulary Validation Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Crafft Question 6 value is invalid. Required Rule Validation Crafft Question 6 Required Rule [External Record ID] of the [failed record name] record failed because required field Crafft Question 6 value is missing. Guidance Note This is Optional field and only Required when the client screener is Crafft.

9.5 ADMH Placement Assessment

9.5.1 Description

This section displays the required fields for an ADMH Placement Assessment record creation in Alabama WITS. ADMH Placement Assessment is the initial assessment to which, a client provides answers in detail to the assessment questions. ADMH Placement Assessment record will be uniquely identified in the Alabama WITS.

9.5.2 Key Fields

The fields in the ADMH Placement Assessment that will be used to uniquely identify a record.

ExternalADMHPlacementAssessmentRecordId

Note: An ADMH Placement Assessment Record once created cannot be deleted. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates and deletion of sub records in the sub section of an Assessment, Providers must contact WITS support team.

9.5.3 Profile, OM (Outcome Measures) and CPE (Client Program Enrollment) Fields

Fields and validation rules with errors associated with Profile section for ADMH Placement Assessment record creation, Outcome Measures record creation and Client Program Enrollment record creation. **Section # 7 describes all possible errors.**

Table 11: External ADMH Placement Assessment Fields Table

Field	Description	Validation Rules		
External ADMH Placement Assessment Record Id	The Provider's internal system identifier for the Client ADMH Placement Assessment Record.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Placement Assessment Record Id had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Placement Assessment Record Id had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Placement Assessment Record Id had an incorrect data type.	
		Length Validation <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Id had an invalid length format.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Id had an invalid length format.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Presenting Problem Category Id had an invalid length format.			
Required Rule Validation <table border="1"> <tr> <td>External ADMH Placement Assessment</td> <td>[External Record ID] of the [failed record name] record failed because required field External Presenting Problem Category Id value is missing.</td> </tr> </table>	External ADMH Placement Assessment	[External Record ID] of the [failed record name] record failed because required field External Presenting Problem Category Id value is missing.		
External ADMH Placement Assessment	[External Record ID] of the [failed record name] record failed because required field External Presenting Problem Category Id value is missing.			

Field	Description	Validation Rules
		<p>Record Id Required Rule</p> <hr/> <p>Guidance</p> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
Assessment Type Code	This Code indicates if the client is an Adult or an Adolescent.	<p>Data Type Validation</p> <hr/> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessment Type Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <hr/> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessment Type Code value is invalid.</p> <p>Required Rule Validation</p> <hr/> <p>Assessment Type Code Required Rule [External Record ID] of the [failed record name] record failed because required field Assessment Type Code value is missing.</p>
Assessment Date	Indicates the day when this Placement assessment was created.	<p>Data Type Validation</p> <hr/> <p>date [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessment Date had an incorrect data type.</p> <p>Required Rule Validation</p> <hr/>

Field	Description	Validation Rules
		<p>Placement Assessment Date Required Rule [External Record ID] of the [failed record name] record failed because required field Placement Assessment Date value is missing.</p> <p>Placement Assessment Date must be greater than or equal to Client Screener date rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Placement Assessment Date is invalid.</p> <p>Placement Assessment Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Placement Assessment Date format is invalid.</p>
Co Dependent Collateral Treatment	Indicates the question (IsClientSeekingTreatmentDueToCoDependentCollateral)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Co Dependent Collateral Treatment had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Co Dependent Collateral Treatment value is invalid.</p> <p>Required Rule Validation</p> <p>Co Dependent Collateral Treatment Required Rule [External Record ID] of the [failed record name] record failed because required field Co Dependent Collateral Treatment value is missing.</p>
Reason For Co Dependent Collateral Treatment	Indicates the explanation from client for codependent	<p>Data Type Validation</p>

Field	Description	Validation Rules	
	collateral treatment.	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Reason For Co Dependent Collateral Treatment had an incorrect data type.
		Length Validation	
		250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Reason For Co Dependent Collateral Treatment had an invalid length format.
		Required Rule Validation	
		Reason For Co Dependent Collateral Treatment Required Rule	[External Record ID] of the [failed record name] record failed because required field Reason For Co Dependent Collateral Treatment Description is missing.
		Guidance	
		Note This is Optional field and only Required when “Co Dependent Collateral Treatment” field is “Yes”.	
Estimate Annual Income Amount	Indicates the estimated annual income of the client when this assessment was done.	Data Type Validation	
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Estimate Annual Income Amount had an incorrect data type.
		Required Rule Validation	
		Estimate Annual Income Amount Required Rule	[External Record ID] of the [failed record name] record failed because required field Estimate Annual Income Amount value is missing.

Field	Description	Validation Rules
Total Of Marriage	Indicates client's total number of marriages when this assessment was done.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Total Of Marriage had an incorrect data type. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Total of Marriage Required Rule [External Record ID] of the [failed record name] record failed because required field Total of Marriage value is missing. </div>
Teds Days on Wait List	Indicates number of days wait list for program enrollment.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Teds Days on Wait List had an incorrect data type. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Total of Marriage Required Rule [External Record ID] of the [failed record name] record failed because required field Teds Days on Wait List value is missing. </div>

9.5.4 Dimension 1 Fields

Fields and associated validation rules with errors for Dimension 1 questions to create ADMH Place Assessment Record. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 12: Dimension 1 Fields Table

Field	Description	Validation Rules
Has Withdrawal Symptoms	Indicates the question (Do you have a history of withdrawal symptoms when you haven't been	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Withdrawal Symptoms had an incorrect data type. </div>

Field	Description	Validation Rules
	able to obtain alcohol and or other drugs (AOD), cut down on your use, or stopped using?).	<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Withdrawal Symptoms value is invalid.</p> <p>Required Rule Validation</p> <p>Has Withdrawal Symptoms Required Rule [External Record ID] of the [failed record name] record failed because required field Has Withdrawal Symptoms value is missing.</p>
Reason Withdrawal Symptom Description	Indicates the explanation from client for Has Withdrawal Symptoms.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Reason Withdrawal Symptom Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Reason Withdrawal Symptom Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Has Withdrawal Symptoms Description Required Rule [External Record ID] of the [failed record name] record failed because required field Reason Withdrawal Symptom Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Withdrawal Symptoms” field is “Yes”.</p>

Field	Description	Validation Rules		
Has Larger Amounts Of AOD Then Intended	Indicates the question (Have you used larger amounts of AOD than you intended or longer than you intended?).	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended had an incorrect data type.	
		Vocabulary Validation <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Larger Amounts Of AOD Then Intended value is invalid.			
Required Rule Validation <table border="1"> <tr> <td>Has Larger Amounts Of AOD Then Intended Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Larger Amounts Of AOD Then Intended value is missing.</td> </tr> </table>	Has Larger Amounts Of AOD Then Intended Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Larger Amounts Of AOD Then Intended value is missing.		
Has Larger Amounts Of AOD Then Intended Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Larger Amounts Of AOD Then Intended value is missing.			
Larger Amounts Of AOD Description	Indicates the explanation from client for Has Larger Amounts Of AOD Then Intended.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts Of AOD Description Then Intended had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts Of AOD Description Then Intended had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts Of AOD Description Then Intended had an incorrect data type.	
		Length Validation <table border="1"> <tr> <td>250</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts of AOD Description had an invalid length format.</td> </tr> </table>	250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts of AOD Description had an invalid length format.
250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amounts of AOD Description had an invalid length format.			
Required Rule Validation <table border="1"> <tr> <td></td> <td></td> </tr> </table>				

Field	Description	Validation Rules
		<p>Larger Amounts of AOD Description Required Rule [External Record ID] of the [failed record name] record failed because required field Larger Amounts of AOD Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Larger Amounts of AOD Description” field is “Yes”.</p>
Has Unsuccessful AOD Efforts	Indicates the question (Have previous efforts to cut down or control AOD use been unsuccessful?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Unsuccessful AOD Efforts had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Unsuccessful AOD Efforts value is invalid.</p> <p>Required Rule Validation</p> <p>Has Unsuccessful AOD Efforts Required Rule [External Record ID] of the [failed record name] record failed because required field Has Unsuccessful AOD Efforts value is missing.</p>
Unsuccessful AOD Efforts Description	Indicates the explanation from client for Has Unsuccessful AOD Efforts.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsuccessful AOD Efforts Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsuccessful AOD Efforts Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Unsuccessful AOD Efforts Description Required Rule [External Record ID] of the [failed record name] record failed because required field Unsuccessful AOD Efforts Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Unsuccessful AOD Efforts” field is “Yes”.</p>
Has Spent Excessive Time AOD	Indicates the question (Do you spend a great deal of time in activities to obtain AOD and/or feeling its effects?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Spent Excessive Time AOD had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Spent Excessive Time AOD value is invalid.</p> <p>Required Rule Validation</p> <p>Has Spent Excessive Time AOD Required Rule [External Record ID] of the [failed record name] record failed because required field Has Spent Excessive Time AOD value is missing.</p>

Field	Description	Validation Rules
Excessive Time AOD Description	Indicates the explanation from client for Has Spent Excessive Time AOD.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Excessive Time AOD Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Excessive Time AOD Description had an invalid length format.
		Required Rule Validation
		Excessive Time AOD Description Required Rule [External Record ID] of the [failed record name] record failed because required field Excessive Time AOD Description is missing.
		Guidance
		Note
		This is Optional field and only Required when “Has Spent Excessive Time AOD” field is “Yes”.
Has Cravings For AOD	Indicates the question (Have you had cravings or a strong desire to use AOD?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Craving For AOD had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Craving For AOD value is invalid.
		Required Rule Validation

Field	Description	Validation Rules	
		<p>Has Craving For AOD Required Rule [External Record ID] of the [failed record name] record failed because required field Has Craving For AOD value is missing.</p>	
Cravings For AOD Description	Indicates the explanation from client for Has Cravings For AOD.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Craving For AOD Description had an incorrect data type.</p>	
		<p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Craving For AOD Description had an invalid length format.</p>	
		<p>Required Rule Validation</p> <p>Craving For AOD Description Required Rule [External Record ID] of the [failed record name] record failed because required field Craving For AOD Description is missing.</p>	
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Cravings For AOD” field is “Yes”.</p>	
Has Neglected Social Obligations	Indicates the question (Have you used AOD to the point that you have neglected social obligations (work, school, home)?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Neglected Social Obligations had an incorrect data type.</p>	
		<p>Vocabulary Validation</p>	

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Neglected Social Obligations value is invalid.</p> <p>Required Rule Validation</p> <p>Has Neglected Social Obligations Required Rule [External Record ID] of the [failed record name] record failed because required field Has Neglected Social Obligations value is missing.</p>
Neglected Social Obligations Description	Indicates the explanation from client for Has Neglected Social Obligations.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Neglected Social Obligations Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Neglected Social Obligations Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Craving For AOD Description Required Rule [External Record ID] of the [failed record name] record failed because required field Neglected Social Obligations Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Neglected Social Obligations” field is “Yes”.</p>

Field	Description	Validation Rules
Has Continued After Negative Consequences	Indicates the question (Have you continued to use despite the negative consequences (at work, school, home)?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Continued After Negative Consequences had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Continued After Negative Consequences value is invalid.
Negative Consequences Description	Indicates the explanation from client for Has Continued After Negative Consequences.	Required Rule Validation
		Has Continued After Negative Consequences Required Rule [External Record ID] of the [failed record name] record failed because required field Has Continued After Negative Consequences value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Description had an incorrect data type.
Negative Consequences Description	Indicates the explanation from client for Has Continued After Negative Consequences.	Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Description had an invalid length format.
		Required Rule Validation

Field	Description	Validation Rules
		<p>Negative Consequences Description Required Rule [External Record ID] of the [failed record name] record failed because required field Negative Consequences Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Continued After Negative Consequences” field is “Yes”.</p>
Has Continued After Affected Socially	Indicates the question (Have you continued using AOD even though your use affected you socially (fights, problems in relationships, etc.)?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Continued After Affected Socially had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Continued After Affected Socially value is invalid.</p> <p>Required Rule Validation</p> <p>Has Continued After Affected Socially Required Rule [External Record ID] of the [failed record name] record failed because required field Has Continued After Affected Socially value is missing.</p>
Affected Socially Description	Indicates the explanation from client for Has Continued After Affected Socially.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Affected Socially Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules						
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Affected Socially Description had an invalid length format.</p> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Affected Socially Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Affected Socially Description is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Continued After Negative Consequences” field is “Yes”.</p>	Affected Socially Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Affected Socially Description is missing.				
Affected Socially Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Affected Socially Description is missing.							
Has Given Up Enjoyable Activities	Indicates the question (Has your AOD use caused you to give up or not participate in social, occupational or recreational activities that you once enjoyed?)	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Has Given Up Enjoyable Activities Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Given Up Enjoyable Activities value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities value is invalid.	Has Given Up Enjoyable Activities Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Given Up Enjoyable Activities value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Given Up Enjoyable Activities value is invalid.							
Has Given Up Enjoyable Activities Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Given Up Enjoyable Activities value is missing.							

Field	Description	Validation Rules
Enjoyable Activities Description	Indicates the explanation from client for Has Given Up Enjoyable Activities.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Enjoyable Activities Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Enjoyable Activities Description had an invalid length format.
		Required Rule Validation
		Enjoyable Activities Description Required Rule [External Record ID] of the [failed record name] record failed because required field Enjoyable Activities Description is missing.
		Guidance
		Note
		This is Optional field and only Required when “Has Given Up Enjoyable Activities” field is “Yes”.
Has Been In Dangerous Situations	Indicates the question (Have you continued to use despite placing yourself and/or others in dangerous or unsafe situations?)	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been In Dangerous Situations had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been In Dangerous Situations value is invalid.

Field	Description	Validation Rules
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> <p>Has Been In Dangerous Situations Required Rule [External Record ID] of the [failed record name] record failed because required field Has Been In Dangerous Situations value is missing.</p> </div>
Dangerous Situations Description	Indicates the explanation from client for Has Been In Dangerous Situations.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dangerous Situations Description had an incorrect data type.</p> </div> Length Validation <div style="border: 1px solid black; padding: 5px;"> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dangerous Situations Description had an invalid length format.</p> </div> Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> <p>Dangerous Situations Description Required Rule [External Record ID] of the [failed record name] record failed because required field Dangerous Situations Description is missing.</p> </div> Guidance <div style="border: 1px solid black; padding: 5px;"> <p>Note This is Optional field and only Required when “Has Been In Dangerous Situations” field is “Yes”.</p> </div>
Has Physical Or Psychological Problems	Indicates the question (Have you continued to use AOD after knowing it caused or contributed to	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Physical Or Psychological Problems had an incorrect data type.</p> </div>

Field	Description	Validation Rules
	physical and/or psychological problems?)	<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Physical Or Psychological Problems value is invalid.</p> <p>Required Rule Validation</p> <p>Has Physical Or Psychological Problems Required Rule [External Record ID] of the [failed record name] record failed because required field Has Physical Or Psychological Problems value is missing.</p>
Physical Or Psychological Problems Description	Indicates the explanation from client for Has Physical Or Psychological Problems.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Physical Or Psychological Problems Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Physical Or Psychological Problems Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Physical Or Psychological Problems Description Required Rule [External Record ID] of the [failed record name] record failed because required field Physical Or Psychological Problems Description is missing.</p> <p>Guidance</p> <p>Note</p>

Field	Description	Validation Rules		
		This is Optional field and only Required when “Has Physical Or Psychological Problems” field is “Yes”.		
Has Needed More To Feel Effects	Indicates the question (Do you need more AOD to get the same high or feel the same effect?).	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects had an incorrect data type.	
		Vocabulary Validation <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Needed More To Feel Effects value is invalid.			
Required Rule Validation <table border="1"> <tr> <td>Has Needed More To Feel Effects Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Needed More To Feel Effects value is missing.</td> </tr> </table>	Has Needed More To Feel Effects Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Needed More To Feel Effects value is missing.		
Has Needed More To Feel Effects Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Needed More To Feel Effects value is missing.			
More To Feel Effects Description	Indicates the explanation from client for Has Needed More To Feel Effects.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because More To Feel Effects Description had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] from [Upload file] submission failed because More To Feel Effects Description had an incorrect data type.
		String	[External Record ID] of the [failed record name] from [Upload file] submission failed because More To Feel Effects Description had an incorrect data type.	
		Length Validation <table border="1"> <tr> <td>250</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because More To Feel Effects Description had an invalid length format.</td> </tr> </table>	250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because More To Feel Effects Description had an invalid length format.
250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because More To Feel Effects Description had an invalid length format.			
Required Rule Validation <table border="1"> <tr> <td></td> <td></td> </tr> </table>				

Field	Description	Validation Rules
		<p>More To Feel Effects Description Required Rule [External Record ID] of the [failed record name] record failed because required field More To Feel Effects Description is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Needed More To Feel Effects” field is “Yes”.</p>
SA Rating For Dimension 1 Code	Indicates the rating based on the answers given by the client for Dimension 1 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 1 Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 1 Code value is invalid.</p> <p>Required Rule Validation</p> <p>SA Rating For Dimension 1 Code Required Rule [External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 1 Code value is missing.</p>
Dimension Summary Description	Indicates the summary of Dimension 1 assessment.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.
		Required Rule Validation
	Dimension Summary Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Dimension Summary Description is missing.

9.5.4.1 Dimension 1 Withdrawal Symptoms

9.5.4.1.1 Description

Withdrawal Symptoms record represents the category under which the symptoms fall in. A client can contain multiple Withdrawal Symptoms records. A **Withdrawal Symptoms** will be uniquely identified in Alabama WITS by the **External ADMH Placement Assessment Withdrawal Symptoms Record Id** and **Withdrawal Symptoms Code**. Therefore, no two **Withdrawal Symptoms** records can be submitted with the same withdrawal symptoms Code for the same Client.

NOTE: Withdrawal Symptoms is Optional and only Required when “Has Withdrawal Symptoms” field in 9.5.4 section is selected as “Yes”.

9.5.4.1.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External ADMH Placement Assessment Withdrawal Symptoms Record Id
Withdrawal Symptoms Code

Note: A Client ADMH Placement Assessment Withdrawal Symptoms record can only be deleted if there are more than one withdrawal symptoms attached to the Withdrawal Symptoms section in the client Assessment record. ADMH Placement Assessment Withdrawal Symptoms cannot be NULL for a client Assessment record when “Has Withdrawal Symptoms” field in 9.5.4 section is selected as “Yes. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to

an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.4.1.3 Fields

Fields and associated validation rules with errors for Dimension 1 Withdrawal Symptoms question. **Section # 7 describes all possible errors.**

Table 13: External ADMH Placement Assessment Withdrawal Symptoms Fields Table

Field	Description	Validation Rules
External ADMH Placement Assessment Withdrawal Symptoms Record Id	The Provider's internal system identifier for the Client Placement Assessment Withdrawal Symptoms Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Placement Assessment Withdrawal Symptoms record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Placement Assessment Withdrawal Symptoms record Id had an invalid length format.
Withdrawal Symptoms Code	This code indicates the category of the Withdrawal Symptoms.	Required Rule Validation
		External ADMH Placement Assessment Withdrawal Symptoms record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External ADMH Placement Assessment Withdrawal Symptoms record Id is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Withdrawal Symptoms Code had an incorrect data type.
		Vocabulary Validation

Field	Description	Validation Rules
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Withdrawal Symptoms Code value is invalid.
	Required Rule Validation	
	Assessment Type Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Withdrawal Symptoms Code value is missing.

9.5.4.2 Dimension 1 Substance Use History

9.5.4.2.1 Description

Substance Use History record represents the category under which the substance falls in. A client can contain multiple Substance Use History records. A **Substance Use History** record will be uniquely identified in the Alabama WITS by the External Substance Use History record Id and Substance Problem Type Code. Therefore, no two Substance Use History records can be submitted with the same Substance Problem Type Code for the same Client.

NOTE: Substance Use History is Optional and only Required when “CoDependentCollateralTreatment” field in 9.5.3 is selected as “NO”.

9.5.4.2.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
ExternalSubstanceUseHistoryrecordId
SubstanceProblemTypeCode

Note: A Client Substance Use History cannot be NULL for a client Assessment record when “CoDependentCollateralTreatment” field in 9.5.3 is selected as “NO”. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.4.2.3 Fields

Fields and associated validation rules with errors for Dimension 1 Substance Use History question. **Section # 7 describes all possible errors.**

Table 14: External Substance Use History Record Fields Table

Field	Description	Validation Rules
External Substance Use History record Id	The Provider's internal system identifier for the Client Substance Use History Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Substance Use History Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Substance Use History record Id had an invalid length format.
Substance Problem Type Code	This code indicates the type of the Substance Problem.	Required Rule Validation
		External Substance Use History record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Substance Use History record Id is missing.
		Data Type Validation
Substance Problem Type Code	This code indicates the type of the Substance Problem.	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Substance Problem Type Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Substance Problem Type Code had an invalid length format.

Field	Description	Validation Rules
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Substance Problem Type Code value is invalid.</p> <p>Required Rule Validation</p> <p>Substance Problem Type Code Required Rule [External Record ID] of the [failed record name] record failed because required field Substance Problem Type Code value is missing.</p>
Specific Substance Problem Detail Code	This code indicates the Specific Substance/Problem Detail.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Specific Substance Problem Detail Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Specific Substance Problem Detail Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Specific Substance Problem Detail Code value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Specific Substance Problem Detail Code Required Rule [External Record ID] of the [failed record name] record failed because required field Specific Substance Problem Detail Code value is missing.</p> <p>Guidance</p> <p>Note</p> <p>Providers should submit relevant Specific Substance Problem Details values specified under each Substance Type from the vocabulary.</p>
<p>Route Of Admin Code</p>	<p>This code indicates the code for Route of Admin.</p>	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Route Of Admin Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Specific Substance Problem Detail Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Route Of Admin Code value is invalid.</p> <p>Required Rule Validation</p> <p>Route Of Admin Code Required Rule [External Record ID] of the [failed record name] record failed because required field Route Of Admin Code value is missing.</p>

Field	Description	Validation Rules
Age of First Use Number	This indicated the age of the client when Substance was used for the first time.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Age of First Use Number had an incorrect data type.
		Required Rule Validation
		Age of First Use Number Required Rule [External Record ID] of the [failed record name] record failed because required field Age of First Use Number value is missing.
Date Last Used	The date indicates when did the client last use the substance.	Data Type Validation
		datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Date Last Used had an incorrect data type.
		Required Rule Validation
		Date Last Used Required Rule [External Record ID] of the [failed record name] record failed because required field Date Last Used value is missing.
		Date Last Used Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Date Last Used format is invalid.
How Long Used Description	This indicates the field to describe How Long Used in plain words.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because How Long Used Description had an incorrect data type.
		Length Validation

Field	Description	Validation Rules								
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because How Long Used Description had an invalid length format.</p> <p>Required Rule Validation</p> <table border="1"> <tr> <td>How Long Used Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field How Long Used Description value is missing.</td> </tr> </table>	How Long Used Description Required Rule	[External Record ID] of the [failed record name] record failed because required field How Long Used Description value is missing.						
How Long Used Description Required Rule	[External Record ID] of the [failed record name] record failed because required field How Long Used Description value is missing.									
Frequency Of Use Code	This Code indicates the frequency of substance use.	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Frequency Of Use Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Frequency Of Use Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code value is invalid.	Frequency Of Use Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Frequency Of Use Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Frequency Of Use Code value is invalid.									
Frequency Of Use Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Frequency Of Use Code value is missing.									

Field	Description	Validation Rules
Age Of Regular Use Description	This indicates the age of the client when they started to use the substance regularly.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Age Of Regular Use Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Age Of Regular Use Description had an invalid length format.
Period of Abstinence Description	This indicates the period of abstinence description.	Required Rule Validation
		Age Of Regular Use Description Required Rule [External Record ID] of the [failed record name] record failed because required field Age Of Regular Use Description value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Period of Abstinence Description had an incorrect data type.
Period of Abstinence Description	This indicates the period of abstinence description.	Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Period of Abstinence Description had an invalid length format.
		Required Rule Validation

Field	Description	Validation Rules
		Period of Abstinence Description Required Rule [External Record ID] of the [failed record name] record failed because required field Period of Abstinence Description value is missing.
Amount Of Regular Use Description	This indicates the quantity of substance usage regularly.	Data Type Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Amount Of Regular Use Description had an incorrect data type.
		Length Validation 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Amount Of Regular Use Description had an invalid length format.
		Required Rule Validation Amount Of Regular Use Description Required Rule [External Record ID] of the [failed record name] record failed because required field Amount Of Regular Use Description value is missing.

9.5.5 Dimension 2 Fields

Fields and associated validation rules with errors for Dimension 2 section questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 15: External ADMH Placement Assessment Dimension 2 Fields Table

Field	Description	Validation Rules
Has Current Medical Problems	Indicates the question (Do you have any current medical problems, including infectious communicable diseases?).	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Current Medical Problems had an incorrect data type. </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Current Medical Problems value is invalid. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Has Current Medical Problems Required Rule [External Record ID] of the [failed record name] record failed because required field Has Current Medical Problems value is missing. </div>
Current Medical Problems Description	Indicates the explanation from client for Has Current Medical Problems.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Current Medical Problems Description had an incorrect data type. </div>
		Length Validation <div style="border: 1px solid black; padding: 5px;"> 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Current Medical Problems Description had an invalid length format. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
		<p>Current Medical Problems Description Required Rule [External Record ID] of the [failed record name] record failed because required field Current Medical Problems Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Current Medical Problems” field is “Yes”.</p>
Is Client Pregnant	Indicates whether the client was pregnant when this assessment was created.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant value is invalid.</p> <p>Required Rule Validation</p> <p>Is Client Pregnant Required Rule [External Record ID] of the [failed record name] record failed because required field Is Client Pregnant value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the submitted client is a “Female”.</p>
Pregnancy Due Date	Pregnancy Due Date is the date when the client’s pregnancy delivery date is due.	<p>Data Type Validation</p> <p>datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Pregnancy Due Date had an incorrect data type.</p>

Field	Description	Validation Rules						
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Pregnancy Due Date Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Pregnancy Due Date value is missing.</td> </tr> <tr> <td>Pregnancy Due Date must be less than or equal to current date rule</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date is invalid.</td> </tr> <tr> <td>Pregnancy Due Date Format (YYYY-MM-DD) Rule</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date format is invalid.</td> </tr> </table> <p>Guidance</p> <p>Note This is Optional field and only Required when the submitted client is a “Female” and “Is Client Pregnant” is a “Yes”.</p>	Pregnancy Due Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Pregnancy Due Date value is missing.	Pregnancy Due Date must be less than or equal to current date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date is invalid.	Pregnancy Due Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date format is invalid.
Pregnancy Due Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Pregnancy Due Date value is missing.							
Pregnancy Due Date must be less than or equal to current date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date is invalid.							
Pregnancy Due Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date format is invalid.							
Weeks Pregnant Number	Indicates the number of weeks pregnant if the client is pregnant when this assessment was created.	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Weeks Pregnant Number had an incorrect data type.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Weeks Pregnant Number Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Weeks Pregnant Number value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Weeks Pregnant Number had an incorrect data type.	Weeks Pregnant Number Required Rule	[External Record ID] of the [failed record name] record failed because required field Weeks Pregnant Number value is missing.		
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Weeks Pregnant Number had an incorrect data type.							
Weeks Pregnant Number Required Rule	[External Record ID] of the [failed record name] record failed because required field Weeks Pregnant Number value is missing.							

Field	Description	Validation Rules
		This is Optional field and only Required when the submitted client is a “Female” and “Is Client Pregnant” is a “Yes”.
Is Receiving Prenatal Care	Indicates if the client is receiving prenatal care during pregnancy when this assessment was created.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Receiving Prenatal Care had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Receiving Prenatal Care value is invalid.
		Required Rule Validation
		Is Receiving Prenatal Care Required Rule [External Record ID] of the [failed record name] record failed because required field Is Receiving Prenatal Care value is missing.
		Guidance
		Note This is Optional field and only Required when the submitted client is a “Female” and “Is Client Pregnant” is a “Yes”.
Pregnancy Number	Indicates the total number of pregnancies client had when this assessment was created.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Pregnancy Number had an incorrect data type.
		Required Rule Validation
		Pregnancy Number Required Rule [External Record ID] of the [failed record name] record failed because required field Pregnancy Number value is missing.

Field	Description	Validation Rules
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the submitted client is a “Female” and “Is Client Pregnant” is a “Yes”.</p>
Has Allergies	Indicates the question (Do you have any known allergies (including food or medications)?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Allergies had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Allergies value is invalid.</p> <p>Required Rule Validation</p> <p>Has Allergies Required Rule [External Record ID] of the [failed record name] record failed because required field Has Allergies value is missing.</p>
Allergies Description	Indicates the explanation from the client for Has Allergies	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Allergies Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Allergies Description had an invalid length format.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Allergies Description Required Rule [External Record ID] of the [failed record name] record failed because required field Allergies Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Allergies” field is “Yes”.</p>
Has Had Tuberculosis	Indicates if the client had Tuberculosis when this assessment was created.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Tuberculosis had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Tuberculosis value is invalid.</p> <p>Required Rule Validation</p> <p>Has Had Tuberculosis Required Rule [External Record ID] of the [failed record name] record failed because required field Has Had Tuberculosis value is missing.</p>
Tuberculosis Description	Indicates the explanation from the client for Has Had Tuberculosis.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Tuberculosis Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Tuberculosis Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Tuberculosis Description Required Rule [External Record ID] of the [failed record name] record failed because required field Tuberculosis Description value is missing.</p> <p>Guidance</p> <p>Note This is Optional field and only Required when “Has Had Tuberculosis” field is “Yes”.</p>
SA Rating For Dimension 2 Code	Indicates the rating based on the answers given by the client for Dimension 1 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 2 Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 2 Code value is invalid.</p> <p>Required Rule Validation</p> <p>SA Rating For Dimension 2 Code Required Rule [External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 2 Code value is missing.</p>

Field	Description	Validation Rules
Dimension Summary Description	Indicates the summary of Dimension 2 assessment.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.
		Required Rule Validation
		Dimension Summary Description Required Rule [External Record ID] of the [failed record name] record failed because required field Dimension Summary Description value is missing.

9.5.5.1 Dimension 2 Medical Withdrawal Symptoms

9.5.5.1.1 Description

Medical Withdrawal Symptoms record represents the category under which the symptom falls in. A client can contain multiple Medical Withdrawal Symptoms records. A **Medical Withdrawal Symptoms** record will be uniquely identified in the Alabama WITS by the **External Medical Withdrawal Symptom Record Id** and **Medical Withdrawal Symptom Code**. Therefore, no two **Medical Withdrawal Symptoms** records can be submitted with the same Withdrawal Symptom Code for the same Client.

9.5.5.1.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field

External Medical Withdrawal Symptoms Record Id
Medical Withdrawal Symptoms Code

Note: Medical Withdrawal Symptoms section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.4.1.3 Fields

Fields and associated validation rules with errors for Dimension 2 Medical Withdrawal Symptoms question. **Section # 7 describes all possible errors.**

Table 16: Dimension 2 Medical Withdrawal Symptoms Fields Table

Field	Description	Validation Rules
External Medical Withdrawal Symptoms Record Id	The Provider's internal system identifier for the Client Medical Withdrawal Symptoms Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Medical Withdrawal Symptoms Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Medical Withdrawal Symptoms Record Id had an invalid length format.
		Required Rule Validation
		External Medical Withdrawal Symptoms Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Medical Withdrawal Symptoms Record Id value is missing.
Medical Withdrawal	This code indicates the	Data Type Validation

Field	Description	Validation Rules
Symptoms Code	category of the Medical Withdrawal Symptoms.	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Medical Withdrawal Symptoms Code had an incorrect data type.
		Vocabulary Validation Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Medical Withdrawal Symptoms Code value is invalid.
		Required Rule Validation Medical Withdrawal Symptoms Code Required Rule [External Record ID] of the [failed record name] record failed because required field Medical Withdrawal Symptoms Code value is missing.

9.5.6 Dimension 3 Fields

Fields and associated validation rules with errors for Dimension 3 section questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 17: Dimension 3 Medical Withdrawal Symptoms Fields Table

Field	Description	Validation Rules
Has Had Trauma	Indicates the question (As a child or an adult, have you experienced significant events that	Data Type Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Trauma had an incorrect data type.
		Vocabulary Validation

Field	Description	Validation Rules
	have caused trauma?).	<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Trauma value is invalid.</p> <p>Required Rule Validation</p> <p>Has Had Trauma Required Rule [External Record ID] of the [failed record name] record failed because required field Has Had Trauma value is missing.</p>
Trauma Description	Indicates the description from the client for Has Had Trauma.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Trauma Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Trauma Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Trauma Description Required Rule [External Record ID] of the [failed record name] record failed because required field Trauma Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Had Trauma” is a “Yes”.</p>
Has Mental Illness	Indicates the question (Have you been diagnosed with or told you have a mental illness?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Mental Illness had an incorrect data type.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Mental Illness value is invalid.</p> <p>Required Rule Validation</p> <p>Has Mental Illness Required Rule [External Record ID] of the [failed record name] record failed because required field Has Mental Illness is missing.</p>
Mental Illness Description	Indicates the description from the client for Has Mental Illness.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Mental Illness Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Mental Illness Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Mental Illness Description Required Rule [External Record ID] of the [failed record name] record failed because required field Mental Illness Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Mental Illness” is a “Yes”.</p>
Is Being Seen For Mental Illness	Indicates the question (Do you see anyone	<p>Data Type Validation</p>

Field	Description	Validation Rules
	for mental health issues?).	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Being Seen For Mental Illness had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Being Seen For Mental Illness value is invalid.</p> <p>Required Rule Validation</p> <p>Is Being Seen For Mental Illness Required Rule [External Record ID] of the [failed record name] record failed because required field Is Being Seen For Mental Illness value is missing.</p>
Being Seen For Mental Illness Description	Indicates the description from the client for Is Being Seen For Mental Illness.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Being Seen For Mental Illness Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Being Seen For Mental Illness Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Being Seen For Mental Illness Description Required Rule [External Record ID] of the [failed record name] record failed because required field Being Seen For Mental Illness Description value is missing.</p>

Field	Description	Validation Rules
		Guidance Note This is Optional field and only Required when “Is Being Seen For Mental Illness” is a “Yes”.
Has Murderous Thoughts	Indicates the question (Have you ever felt like killing or hurting yourself or someone else?).	Data Type Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Murderous Thoughts had an incorrect data type. Vocabulary Validation Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Murderous Thoughts value is invalid. Required Rule Validation Has Murderous Thoughts Required Rule [External Record ID] of the [failed record name] record failed because required field Has Murderous Thoughts value is missing.
Murderous Thoughts Description	Indicates the description from the client for Has Murderous Thoughts.	Data Type Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Murderous Thoughts Description had an incorrect data type. Length Validation 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Murderous Thoughts Description had an invalid length format. Required Rule Validation

Field	Description	Validation Rules												
		<table border="1"> <tr> <td>Murderous Thoughts Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Murderous Thoughts Description value is missing.</td> </tr> <tr> <td colspan="2">Guidance</td> </tr> <tr> <td colspan="2">Note</td> </tr> <tr> <td colspan="2">This is Optional field and only Required when “Has Murderous Thoughts” is a “Yes”.</td> </tr> </table>	Murderous Thoughts Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Murderous Thoughts Description value is missing.	Guidance		Note		This is Optional field and only Required when “Has Murderous Thoughts” is a “Yes”.					
Murderous Thoughts Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Murderous Thoughts Description value is missing.													
Guidance														
Note														
This is Optional field and only Required when “Has Murderous Thoughts” is a “Yes”.														
Has Had Hallucinations	Indicates the question (Have you ever experienced hallucinations or difficulty telling what is real from that which is not (auditory, visual, olfactory, tactile)?).	<table border="1"> <tr> <td colspan="2">Data Type Validation</td> </tr> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations had an incorrect data type.</td> </tr> <tr> <td colspan="2">Vocabulary Validation</td> </tr> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations value is invalid.</td> </tr> <tr> <td colspan="2">Required Rule Validation</td> </tr> <tr> <td>Has Had Hallucinations Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Had Hallucinations value is missing.</td> </tr> </table>	Data Type Validation		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations had an incorrect data type.	Vocabulary Validation		Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations value is invalid.	Required Rule Validation		Has Had Hallucinations Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Had Hallucinations value is missing.
Data Type Validation														
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations had an incorrect data type.													
Vocabulary Validation														
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Hallucinations value is invalid.													
Required Rule Validation														
Has Had Hallucinations Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Had Hallucinations value is missing.													
Hallucinations Description	Indicates the description from the client for Has Had Hallucinations.	<table border="1"> <tr> <td colspan="2">Data Type Validation</td> </tr> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Hallucinations Description had an incorrect data type.</td> </tr> <tr> <td colspan="2">Length Validation</td> </tr> </table>	Data Type Validation		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Hallucinations Description had an incorrect data type.	Length Validation							
Data Type Validation														
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Hallucinations Description had an incorrect data type.													
Length Validation														

Field	Description	Validation Rules						
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Hallucinations Description had an invalid length format.</p> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Hallucinations Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Hallucinations Description value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Had Hallucinations” is a “Yes”.</p>	Hallucinations Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Hallucinations Description value is missing.				
Hallucinations Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Hallucinations Description value is missing.							
SA Rating For Dimension 3 Code	Indicates the rating based on the answers given by the client for Dimension 3 Questions.	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>SA Rating For Dimension 3 Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 3 Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code value is invalid.	SA Rating For Dimension 3 Code Required Rule	[External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 3 Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 3 Code value is invalid.							
SA Rating For Dimension 3 Code Required Rule	[External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 3 Code value is missing.							
Dimension Summary Description	Indicates the summary of Dimension 3 assessment.	<p>Data Type Validation</p>						

Field	Description	Validation Rules
		<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.</p>
		<p>Length Validation</p>
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Hallucinations Description had an invalid length format.</p>
		<p>Required Rule Validation</p>
		<p>Hallucinations Description Required Rule [External Record ID] of the [failed record name] record failed because required field Hallucinations Description value is missing.</p>

9.5.6.1 Dimension 3 Orientation Fields

9.5.6.1.1 Description

Orientation record represents the category under which the **orientation** falls in. A client can contain multiple **Orientation** records. A **Orientation** record will be uniquely identified in the Alabama WITS by the **External Orientation Record Id and Orientation Code**. Therefore, no two **Orientation** records can be submitted with the same **Orientation Code** for the same Client.

9.5.6.1.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create, update or delete an existing record are:

Field
External Orientation Record Id
Orientation Code

Note: Orientation section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS,

Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.1.3 Fields

Fields and associated validation rules with errors for Dimension 3 Orientation question. **Section # 7 describes all possible errors.**

Table 18: External Orientation Record ID Fields Table

Field	Description	Validation Rules
External Orientation Record Id	The Provider's internal system identifier for the Client External Orientation Record.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Orientation Record Id had an incorrect data type. </div>
		Length Validation <div style="border: 1px solid black; padding: 5px;"> 50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Orientation Record Id had an invalid length format. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> External Orientation Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Orientation Record Id value is missing. </div>
Orientation Code	This code indicates the category of the Orientation.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Orientation Code had an incorrect data type. </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Orientation Code value is invalid.
	Required Rule Validation	
	Orientation Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Orientation Code value is missing.

9.5.6.2 Dimension 3 General Appearance Dress Fields

9.5.6.2.1 Description

Dress record represents the category under which the **Dress** falls in. A client can contain multiple **Dress** records. A **Dress** record will be uniquely identified in the Alabama WITS by the **External Dress Record Id** and **Dress Code**. Therefore, no two **Dress** records can be submitted with the same **Dress Code** for the same Client.

9.5.6.2.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Dress Record Id
Dress Code

Note: Dress section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.2.3 Fields

Fields and associated validation rules with errors for Dimension 3 General Appearance Dress question. **Section # 7 describes all possible errors.**

Table 19: Dimension 3 General Appearance Dress Fields Table

Field	Description	Validation Rules
External Dress Record Id	The Provider's internal system identifier for the Client External Dress Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Dress Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Dress Record Id had an invalid length format.
Dress Code	This code indicates the category of the Dress.	Required Rule Validation
		External Dress Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Dress Id value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dress Code had an incorrect data type.
Dress Code	This code indicates the category of the Dress.	Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dress Code value is invalid.
		Required Rule Validation
		Dress Code Required Rule [External Record ID] of the [failed record name] record failed because required field Dress Code value is missing.

9.5.6.3 Dimension 3 General Appearance Grooming Fields

9.5.6.3.1 Description

Grooming record represents the category under which the symptoms fall in. A client can contain multiple **Grooming** records. A **Grooming** record will be uniquely identified in the Alabama WITS by the **External Grooming Record Id** and **Grooming Code**. Therefore, no two **Grooming** records can be submitted with the same **Grooming Code** for the same Client.

9.5.6.3.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Grooming Record Id
Grooming Code

Note: Grooming section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.3.3 Fields

Fields and associated validation rules with errors for Dimension 3 General Appearance Grooming question. **Section # 7 describes all possible errors.**

Table 20: External Grooming Record Id Fields Table

Field	Description	Validation Rules
External Grooming Record Id	The Provider's internal system identifier for the Client External Dress Record.	Data Type Validation
		<table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Grooming Record Id had an incorrect data type.</td> </tr> </table>
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Grooming Record Id had an incorrect data type.	
		Length Validation

Field	Description	Validation Rules						
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Grooming Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <table border="1"> <tr> <td>External Grooming Record Id Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field External Grooming Record Id value is missing.</td> </tr> </table>	External Grooming Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Grooming Record Id value is missing.				
External Grooming Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Grooming Record Id value is missing.							
Grooming Code	This code indicates the category of the Grooming.	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Grooming Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Grooming Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code value is invalid.	Grooming Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Grooming Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Grooming Code value is invalid.							
Grooming Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Grooming Code value is missing.							

9.5.6.4 Dimension 3 General Appearance Facial Expressions Fields

9.5.6.4.1 Description

Facial Expression record represents the category under which the **Facial Expression** fall in. A client can contain multiple **Facial Expression** records. A **Facial Expression** record will be uniquely identified in the Alabama WITS by the **External Facial Expression Record Id** and **Facial Expression Code**. Therefore, no two **Facial Expression** records can be submitted with the same **Facial Expression Code** for the same Client.

9.5.6.4.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Facial Expression Record Id
Facial Expression Code

Note: Facial Expression section cannot be NULL for a client

Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.4.3 Fields

Fields and associated validation rules with errors for Dimension 3 General Appearance Facial Expression question. **Section # 7 describes all possible errors.**

Table 21: External Facial Expression Record Id Fields Table

Field	Description	Validation Rules
External Facial Expression Record Id	The Provider's internal system identifier for the Client External Facial Expression Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Facial Expression Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Facial Expression Record Id had an invalid length format.
		Required Rule Validation

Field	Description	Validation Rules
		External Facial Expression Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Facial Expression Record Id value is missing.
Facial Expression Code	This code indicates the category of the Facial Expression.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Facial Expression Code had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Facial Expression Code value is invalid.
		Required Rule Validation
		Facial Expression Code Required Rule [External Record ID] of the [failed record name] record failed because required field Facial Expression Code value is missing.

9.5.6.5 Dimension 3 Mood Fields

9.5.6.5.1 Description

Mood record represents the category under which the **Mood** fall in. A client can contain multiple **Mood** records. A **Mood** record will be uniquely identified in the Alabama WITS by the **External Mood Record Id** and **Mood Code**. Therefore, no two **Facial Expression** records can be submitted with the same **Mood Code** for the same Client.

9.5.6.5.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Mood Record Id

Mood Code

Note: Mood section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.5.3 Fields

Fields and associated validation rules with errors for Dimension 3 Mood question. **Section # 7 describes all possible errors.**

Table 22: External Mood Record Id Fields Table

Field	Description	Validation Rules
External Mood Record Id	The Provider's internal system identifier for the Client External Mood Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Mood Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Mood Record Id had an invalid length format.
Mood Code	This code indicates the category of the Mood.	Required Rule Validation
		External Mood Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Mood Record Id value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Mood Code had an incorrect data type.

Field	Description	Validation Rules
	Vocabulary Validation	
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Mood Code value is invalid.
	Required Rule Validation	
	Mood Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Mood Code value is missing.

9.5.6.6 Dimension 3 Affect Fields

9.5.6.6.1 Description

Affect record represents the category under which the **Affect** fall in. A client can contain multiple **Affect** records. A **Affect** record will be uniquely identified in the Alabama WITS by the **External Affect Record Id and Affect Code**. Therefore, no two **Affect** records can be submitted with the same **Affect Code** for the same Client.

9.5.6.6.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Affect Record Id
Affect Code

Note: Affect section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.6.3 Fields

Fields and associated validation rules with errors for Dimension 3 Affect question. **Section # 7 describes all possible errors.**

Table 23: External Affect Record Id Fields Table

Field	Description	Validation Rules
External Affect Record Id	The Provider's internal system identifier for the Client External Affect Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Affect Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Affect Record Id had an invalid length format.
Affect Code	This code indicates the category of the Affect.	Required Rule Validation
		External Affect Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Affect Record Id value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Affect Code had an incorrect data type.
Affect Code	This code indicates the category of the Affect.	Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Affect Code value is invalid.
		Required Rule Validation
		Mood Code Required Rule [External Record ID] of the [failed record name] record failed because required field Affect Code value is missing.

9.5.6.7 Dimension 3 Speech Fields

9.5.6.7.1 Description

Speech record represents the category under which the **Speech** fall in. A client can contain multiple **Speech** records. A **Speech** record will be uniquely identified in the Alabama WITS by the **External Speech Record Id** and **Speech Code**. Therefore, no two **Speech** records can be submitted with the same **Speech Code** for the same Client.

9.5.6.7.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Speech Record Id
Speech Code

Note: Speech section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.7.3 Fields

Fields and associated validation rules with errors for Dimension 3 Speech question. **Section # 7 describes all possible errors.**

Table 24: External Speech Record Id Fields Table

Field	Description	Validation Rules
External Speech Record Id	The Provider's internal system identifier for the Client External Speech Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Speech Record Id had an incorrect data type.
Length Validation		

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Speech Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>External Speech Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Speech Record Id value is missing.</p>
Speech Code	This code indicates the category of the Speech.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Speech Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Speech Code value is invalid.</p> <p>Required Rule Validation</p> <p>Speech Code Required Rule [External Record ID] of the [failed record name] record failed because required field Speech Code value is missing.</p>

9.5.6.8 Dimension 3 Memory Immediate Fields

9.5.6.8.1 Description

Immediate record represents the category under which the **Immediate Memory** falls in. A client can contain multiple **Immediate** records. A **Immediate** record will be uniquely identified in the Alabama WITS by the **External Immediate Memory Record Id** and **Immediate Memory Code**. Therefore, no two **Immediate** records can be submitted with the same **Immediate Memory Code** for the same Client.

9.5.6.8.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Immediate Memory Record Id
Immediate Memory Code

Note: Immediate Memory section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.8.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Immediate Memory** question. **Section # 7 describes all possible errors.**

Table 25: External Immediate Memory Record Id Fields Table

Field	Description	Validation Rules
External Immediate Memory Record Id	The Provider's internal system identifier for the Client External Immediate Memory Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Immediate Memory Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Immediate Memory Record Id had an invalid length format.
		Required Rule Validation

Field	Description	Validation Rules
		External Immediate Memory Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Immediate Memory Record Id value is missing.
Immediate Memory Code	This code indicates the category of the Immediate Memory.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Immediate Memory Code had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Immediate Memory Code value is invalid.
		Required Rule Validation
		Immediate Memory Code Required Rule [External Record ID] of the [failed record name] record failed because required field Immediate Memory Code value is missing.

9.5.6.9 Dimension 3 Memory Recent Fields

9.5.6.9.1 Description

Recent record represents the category under which the **Recent Memory** falls in. A client can contain multiple **Recent** records. A **Recent** record will be uniquely identified in the Alabama WITS by the **External Recent Memory Record Id** and **Recent Memory Code**. Therefore, no two **Recent** records can be submitted with the same **Recent Memory Code** for the same Client.

9.5.6.9.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Recent Memory Record Id

Recent Memory Code

Note: Recent Memory section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.9.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Recent Memory** question. **Section # 7 describes all possible errors.**

Table 26: External Recent Memory Record Id Fields Table

Field	Description	Validation Rules		
External Recent Memory Record Id	The Provider's internal system identifier for the Client External Recent Memory Record.	Data Type Validation		
		<table border="1" style="width: 100%;"> <tr> <td style="width: 20%;">String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an incorrect data type.	
Length Validation				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 20%;">50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an invalid length format.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an invalid length format.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Recent Memory Record Id had an invalid length format.			
		Required Rule Validation		
		<table border="1" style="width: 100%;"> <tr> <td style="width: 40%;">External Immediate Memory Record Id Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field External Recent Memory Record Id value is missing.</td> </tr> </table>	External Immediate Memory Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Recent Memory Record Id value is missing.
External Immediate Memory Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Recent Memory Record Id value is missing.			
Recent Memory Code	This code indicates the category of the Recent Memory.	Data Type Validation		
		<table border="1" style="width: 100%;"> <tr> <td style="width: 20%;">String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recent Memory Code had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recent Memory Code had an incorrect data type.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recent Memory Code had an incorrect data type.			

Field	Description	Validation Rules
Vocabulary Validation		
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recent Memory Code value is invalid.
Required Rule Validation		
	Recent Memory Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Recent Memory Code value is missing.

9.5.6.10 Dimension 3 Memory Remote Fields

9.5.6.10.1 Description

Remote Memory record represents the category under which the **Remote Memory** falls in. A client can contain multiple **Remote** records. A **Remote** record will be uniquely identified in the Alabama WITS by the **External Remote Memory Record Id and Remote Memory Code**. Therefore, no two **Remote** records can be submitted with the same **Remote Memory Code** for the same Client.

9.5.6.10.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Remote Memory Record Id
Remote Memory Code

Note: Remote Memory section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.10.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Remote Memory** question. **Section # 7 describes all possible errors.**

Table 27: External Remote Memory Record Id Fields Table

Field	Description	Validation Rules
External Remote Memory Record Id	The Provider's internal system identifier for the Client External Remote Memory Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Remote Memory Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Remote Memory Record Id had an invalid length format.
Remote Memory Code	This code indicates the category of the Remote Memory.	Required Rule Validation
		External Remote Memory Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Remote Memory Record Id value is missing.
		Data Type Validation
Remote Memory Code	This code indicates the category of the Remote Memory.	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Remote Memory Code had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Remote Memory Code value is invalid.
		Required Rule Validation

Field	Description	Validation Rules
	Remote Memory Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Remote Memory Code value is missing.

9.5.6.11 Dimension 3 Thought Process Fields

9.5.6.11.1 Description

Thought Process record represents the category under which the **Thought Process** fall in. A client can contain multiple **Thought Process** records. A **Thought Process** record will be uniquely identified in the Alabama WITS by the **External Thought Process Id** and **Thought Process Code**. Therefore, no two **Thought Process** records can be submitted with the same **Thought Process Code** for the same Client.

9.5.6.11.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Thought Process Record Id
Thought Process Code

Note: Thought Process section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.11.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Thought Process** question. **Section # 7 describes all possible errors.**

Table 28: External Thought Process Record Id Fields Table

Field	Description	Validation Rules
External Thought Process Record Id	The Provider's internal system identifier for the Client External Thought Process Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Process Record Id had an incorrect data type.
		Length Validation

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Process Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>External Thought Process Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Thought Process Record Id value is missing.</p>
Thought Process Code	This code indicates the category of the Thought Process.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Thought Process Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Thought Process Code value is invalid.</p> <p>Required Rule Validation</p> <p>Thought Process Code Required Rule [External Record ID] of the [failed record name] record failed because required field Thought Process Code value is missing.</p>

9.5.6.12 Dimension 3 Thought Content Fields

9.5.6.12.1 Description

Thought Content record represents the category under which the **Thought Content** fall in. A client can contain multiple **Thought Content** records. A **Thought Content** record will be uniquely identified in the Alabama WITS by the **External Thought Content Record Id and Thought Content Code**. Therefore, no two **Thought Content** records can be submitted with the same **Thought Content Code** for the same Client.

9.5.6.12.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Thought Content Record Id
Thought Content Code

Note: Thought Content section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.12.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Thought Content** question. **Section # 7 describes all possible errors.**

Table 29: External Thought Content Record Id Fields Table

Field	Description	Validation Rules		
External Thought Content Record Id	The Provider's internal system identifier for the Client External Thought Content Record.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an incorrect data type.	
		Length Validation <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an invalid length format.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an invalid length format.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Thought Content Record Id had an invalid length format.			
Required Rule Validation <table border="1"> <tr> <td>External Thought Content Record Id Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field External Thought Content Record Id value is missing.</td> </tr> </table>	External Thought Content Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Thought Content Record Id value is missing.		
External Thought Content Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Thought Content Record Id value is missing.			

Field	Description	Validation Rules
Thought Content Code	This code indicates the category of the Thought Content.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Thought Content Code had an incorrect data type.
		Vocabulary Validation
		[External Record ID] of the [failed record name] record from [Upload file] submission failed because Thought Content Code value is invalid.
		Must be a valid vocabulary from the provided code values
		Required Rule Validation
		Thought Content Code Required Rule [External Record ID] of the [failed record name] record failed because required field Thought Content Code value is missing.

9.5.6.13 Dimension 3 Judgement Fields

9.5.6.13.1 Description

Judgement record represents the category under which the **Judgement** fall in. A client can contain multiple **Judgement** records. A **Judgement** record will be uniquely identified in the Alabama WITS by the **External Judgement Record Id and Judgement Code**. Therefore, no two **Judgement** records can be submitted with the same **Judgement Code** for the same Client.

9.5.6.13.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Judgement Record Id
Judgement Code

Note: Judgement section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates,

and deletion of sub records in the sub section of an Assessment.

9.5.6.13.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Judgement** question. **Section # 7 describes all possible errors.**

Table 30: External Judgement Record Id Fields Table

Field	Description	Validation Rules
External Judgement Record Id	The Provider's internal system identifier for the Client External Judgement Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Judgement Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Judgement Record Id had an invalid length format.
Judgement Code	This code indicates the category of the Judgement.	Required Rule Validation
		External Judgement Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Judgement Record Id value is missing.
Judgement Code	This code indicates the category of the Judgement.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Judgement Code had an incorrect data type.
		Vocabulary Validation

Field	Description	Validation Rules
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Judgement Code value is invalid.
	Required Rule Validation	
	Judgement Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Judgement Code value is missing.

9.5.6.14 Dimension 3 Insight Fields

9.5.6.14.1 Description

Insight record represents the category under which the **Insight** fall in. A client can contain multiple **Insight** records. A **Insight** record will be uniquely identified in the Alabama WITS by the **External Insight Record Id** and **Insight Code**. Therefore, no two **Insight** records can be submitted with the same **Insight Code** for the same Client.

9.5.6.14.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Insight Record Id
Insight Code

Note: Insight section cannot be NULL for a client Assessment record. After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

9.5.6.14.3 Fields

Fields and associated validation rules with errors for Dimension 3 **Insight** question. **Section # 7 describes all possible errors.**

Table 31: External Insight Record Id Fields Table

Field	Description	Validation Rules
External Insight Record Id	The Provider's internal system identifier for the Client External Insight Record.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Insight Record Id had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Insight Record Id had an invalid length format.
Insight Code	This code indicates the category of the Insight.	Required Rule Validation
		External Insight Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External Insight Record Id value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Insight Code had an incorrect data type.
Insight Code	This code indicates the category of the Insight.	Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Insight Code value is invalid.
		Required Rule Validation
		Insight Code Required Rule [External Record ID] of the [failed record name] record failed because required field Insight Code value is missing.

9.5.7 Dimension 4 Fields

Fields and associated validation rules with errors for Dimension 4 questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 32: Dimension 4 Fields Table

Field	Description	Validation Rules
Why Are You Here Today Description	Indicates the question (Why are you here today?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Why Are You Here Today Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Why Are You Here Today Description had an invalid length format.
Has Problem with Substances	Indicates the question (Do you feel like you have a problem with substances?).	Required Rule Validation
		Why Are You Here Today Description Required Rule [External Record ID] of the [failed record name] record failed because required field Why Are You Here Today Description value is missing.
		Data Type Validation
Has Problem with Substances	Indicates the question (Do you feel like you have a problem with substances?).	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Problem with Substances had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Problem with Substances value is invalid.
Required Rule Validation		

Field	Description	Validation Rules
		<p>Has Problem with Substances Required Rule [External Record ID] of the [failed record name] record failed because required field Has Problem with Substances value is missing.</p>
Problem Description	Indicates the description from the client for Has Problem with Substances.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Problem Description had an incorrect data type.</p>
		<p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Problem Description had an invalid length format.</p>
		<p>Required Rule Validation</p> <p>Problem Description Required Rule [External Record ID] of the [failed record name] record failed because required field Problem Description value is missing.</p>
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Problem with Substances” is a “Yes”.</p>
Has Other Problems	Indicates the question (Do you need help with any other problems?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Other Problems had an incorrect data type.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Other Problems value is invalid.</p>

Field	Description	Validation Rules
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Has Problems Required Rule [External Record ID] of the [failed record name] record failed because required field Has Problems value is missing. </div>
Other Problem Description	Indicates the description from the client for Has other Problems.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Other Problem Description had an incorrect data type. </div> Length Validation <div style="border: 1px solid black; padding: 5px;"> 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Other Problem Description had an invalid length format. </div> Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Other Problem Description Required Rule [External Record ID] of the [failed record name] record failed because required field Other Problem Description value is missing. </div> Guidance <div style="border: 1px solid black; padding: 5px;"> Note This is Optional field and only Required when “Has Other Problems” is a “Yes”. </div>
SA Rating For Dimension 4 Code	Indicates the rating based on the answers given by the client for Dimension 4 Questions.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 4 Code had an incorrect data type. </div> Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 4 Code value is invalid.</p> <p>Required Rule Validation</p> <p>SA Rating For Dimension 4 Code Required Rule [External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 4 Code value is missing.</p>
MH Rating For Dimension 4 Code	Indicates the MH rating based on the answers given by the client for Dimension 4 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 4 Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 4 Code value is invalid.</p> <p>Required Rule Validation</p> <p>MH Rating For Dimension 4 Code Required Rule [External Record ID] of the [failed record name] record failed because required field MH Rating For Dimension 4 Code value is missing.</p>
Dimension Summary Description	Indicates the summary of Dimension 4 assessment.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.</p>

Field	Description	Validation Rules		
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Dimension Summary Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Dimension Summary Description value is missing.</td> </tr> </table>	Dimension Summary Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Dimension Summary Description value is missing.
Dimension Summary Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Dimension Summary Description value is missing.			

9.5.8 Dimension 5 Fields

Fields and associated validation rules with errors for Dimension 5 questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 33: Dimension 5 Fields Table

Field	Description	Validation Rules		
Has Family Members with Drug Problems	Indicates the question (Does anyone in your immediate family have or has had a drug problem?).	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems had an incorrect data type.	
		<p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems value is invalid.			
<p>Required Rule Validation</p> <table border="1"> <tr> <td>Has Family Members with Drug Problems Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Family Members with Drug Problems value is missing.</td> </tr> </table>	Has Family Members with Drug Problems Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Family Members with Drug Problems value is missing.		
Has Family Members with Drug Problems Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Family Members with Drug Problems value is missing.			

Field	Description	Validation Rules
Family Problems Description	Indicates the description from the client for Has Family Members with Drug Problems.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Family Problems Description had an incorrect data type. </div>
		Length Validation <div style="border: 1px solid black; padding: 5px;"> 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Why Are You Here Today Description had an invalid length format. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Family Problems Description Required Rule [External Record ID] of the [failed record name] record failed because required field Family Problems Description value is missing. </div>
Has Family Alcohol Problems	Indicates the question (Does anyone in your immediate family have or has had an alcohol problem?).	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Alcohol Problems had an incorrect data type. </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Members with Drug Problems value is invalid. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
		<p>Has Family Alcohol Problems Required Rule [External Record ID] of the [failed record name] record failed because required field Has Family Alcohol Problems value is missing.</p>
Family Alcohol Problems Description	Indicates the description from the client for Has Family Alcohol Problems.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Family Alcohol Problems Description had an incorrect data type.</p>
		<p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Family Alcohol Problems Description had an invalid length format.</p>
		<p>Required Rule Validation</p> <p>Family Alcohol Problems Description Required Rule [External Record ID] of the [failed record name] record failed because required field Family Alcohol Problems Description value is missing.</p>
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Family Alcohol Problems” is a “Yes”.</p>
Has Family Mental Illness	Indicates the question (Does anyone in your immediate family have or has had a mental/emotional illness?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Mental Illness had an incorrect data type.</p>
		<p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Family Mental Illness value is invalid.</p> <p>Must be a valid vocabulary from the provided code values</p> <p>Required Rule Validation</p> <p>[External Record ID] of the [failed record name] record failed because required field Has Family Mental Illness value is missing.</p> <p>Has Family Mental Illness Required Rule</p>
Family Mental Illness Description	Indicates the description from the client for Has Family Mental Illness.	<p>Data Type Validation</p> <p>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Family Mental Illness Description had an incorrect data type.</p> <p>String</p> <p>Length Validation</p> <p>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Family Mental Illness Description had an invalid length format.</p> <p>250</p> <p>Required Rule Validation</p> <p>[External Record ID] of the [failed record name] record failed because required field Family Mental Illness Description value is missing.</p> <p>Family Mental Illness Description Required Rule</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Family Mental Illness” is a “Yes”.</p>

Field	Description	Validation Rules
Has Ill Family Members	Indicates the question (Does anyone in your immediate family have or has had an illness/injury/handicapped?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ill Family Members had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ill Family Members value is invalid.
Ill Family Members Description	Indicates the description from the client for Has Ill Family Members.	Required Rule Validation
		Has Ill Family Members Required Rule [External Record ID] of the [failed record name] record failed because required field Has Ill Family Members value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Ill Family Members Description had an incorrect data type.
Ill Family Members Description	Indicates the description from the client for Has Ill Family Members.	Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Ill Family Members Description had an invalid length format.
		Required Rule Validation

Field	Description	Validation Rules
		<p>Ill Family Members Description Required Rule [External Record ID] of the [failed record name] record failed because required field Ill Family Members Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Ill Family Members” is a “Yes”.</p>
Times Treated For AOD Problem Number	Indicates the question (How many times have you been treated for an AOD problem?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Times Treated For AOD Problem Number had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Times Treated For AOD Problem Number Required Rule [External Record ID] of the [failed record name] record failed because required field Times Treated For AOD Problem Number value is missing.</p>
Is Currently In Opioid Replacement Recovery	Indicates the question (Are you currently receiving Opioid Replacement Therapy?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Currently In Opioid Replacement Recovery had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Currently In Opioid Replacement Recovery value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules												
		<table border="1"> <tr> <td>Is Currently In Opioid Replacement Recovery Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Is Currently In Opioid Replacement Recovery value is missing.</td> </tr> </table>	Is Currently In Opioid Replacement Recovery Required Rule	[External Record ID] of the [failed record name] record failed because required field Is Currently In Opioid Replacement Recovery value is missing.										
Is Currently In Opioid Replacement Recovery Required Rule	[External Record ID] of the [failed record name] record failed because required field Is Currently In Opioid Replacement Recovery value is missing.													
Has Had Periods Of Abstinence	Indicates the question (Have you had any period of abstinence from an AOD?).	<table border="1"> <tr> <td colspan="2">Data Type Validation</td> </tr> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence had an incorrect data type.</td> </tr> <tr> <td colspan="2">Vocabulary Validation</td> </tr> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence value is invalid.</td> </tr> <tr> <td colspan="2">Required Rule Validation</td> </tr> <tr> <td>Has Had Periods Of Abstinence Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Had Periods Of Abstinence value is missing.</td> </tr> </table>	Data Type Validation		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence had an incorrect data type.	Vocabulary Validation		Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence value is invalid.	Required Rule Validation		Has Had Periods Of Abstinence Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Had Periods Of Abstinence value is missing.
Data Type Validation														
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence had an incorrect data type.													
Vocabulary Validation														
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Had Periods Of Abstinence value is invalid.													
Required Rule Validation														
Has Had Periods Of Abstinence Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Had Periods Of Abstinence value is missing.													
How Abstinence Achieved Description	Indicates the question (How was that abstinence/maintenance achieved? Please explain:).	<table border="1"> <tr> <td colspan="2">Data Type Validation</td> </tr> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an incorrect data type.</td> </tr> <tr> <td colspan="2">Length Validation</td> </tr> <tr> <td>250</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an invalid length format.</td> </tr> </table>	Data Type Validation		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an incorrect data type.	Length Validation		250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an invalid length format.				
Data Type Validation														
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an incorrect data type.													
Length Validation														
250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because How Abstinence Achieved Description had an invalid length format.													

Field	Description	Validation Rules						
		<p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="743 354 1066 456">How Abstinence Achieved Description Required Rule</td> <td data-bbox="1073 354 1911 456">[External Record ID] of the [failed record name] record failed because required field How Abstinence Achieved Description value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Had Periods Of Abstinence” is a “Yes”.</p>	How Abstinence Achieved Description Required Rule	[External Record ID] of the [failed record name] record failed because required field How Abstinence Achieved Description value is missing.				
How Abstinence Achieved Description Required Rule	[External Record ID] of the [failed record name] record failed because required field How Abstinence Achieved Description value is missing.							
Relapse Triggers Description	Indicates the question (What would you consider your relapse triggers? Please explain:).	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="743 738 842 813">String</td> <td data-bbox="1073 711 1906 813">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="743 954 800 980">250</td> <td data-bbox="989 917 1864 1019">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an invalid length format.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="743 1149 1066 1208">Relapse Triggers Description Required Rule</td> <td data-bbox="1073 1128 1822 1230">[External Record ID] of the [failed record name] record failed because required field Relapse Triggers Description value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Had Periods Of Abstinence” is a “Yes”.</p>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an incorrect data type.	250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an invalid length format.	Relapse Triggers Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Relapse Triggers Description value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an incorrect data type.							
250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Relapse Triggers Description had an invalid length format.							
Relapse Triggers Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Relapse Triggers Description value is missing.							

Field	Description	Validation Rules
Cause Of Relapse Description	Indicates the question (Are you aware of what caused you to relapse? Please explain:).	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cause Of Relapse Description had an incorrect data type. </div>
		Length Validation <div style="border: 1px solid black; padding: 5px;"> 250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cause Of Relapse Description had an invalid length format. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Cause Of Relapse Description Required Rule [External Record ID] of the [failed record name] record failed because required field Cause Of Relapse Description value is missing. </div>
		Guidance <div style="border: 1px solid black; padding: 5px;"> Note This is Optional field and only Required when “Has Had Periods Of Abstinence” is a “Yes”. </div>
Is In Support Group	Indicates the question (Are you participating in any support groups? (AA, NA, church, other)).	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is In Support Group had an incorrect data type. </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is In Support Group value is invalid.</p> <p>Required Rule Validation</p> <p>Is In Support Group Required Rule [External Record ID] of the [failed record name] record failed because required field Is In Support Group value is missing.</p>
Support Group Description	Indicates the description from the client for “Is In Support Group”.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Support Group Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Support Group Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Support Group Description Required Rule [External Record ID] of the [failed record name] record failed because required field Support Group Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Is In Support Group” is a “Yes”.</p>
Has Sponsor	Indicates the question (Do you have a sponsor?).	<p>Data Type Validation</p>

Field	Description	Validation Rules
		<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Sponsor had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Sponsor value is invalid.</p> <p>Required Rule Validation</p> <p>Has Sponsor Required Rule [External Record ID] of the [failed record name] record failed because required field Has Sponsor value is missing.</p>
Self Help Frequency Code	Indicates the question (How often do you attend support groups in the past 30 days (AA, NA, church, other)?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Self Help Frequency Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Self Help Frequency Code value is invalid.</p> <p>Required Rule Validation</p> <p>Self Help Frequency Code Required Rule [External Record ID] of the [failed record name] record failed because required field Self Help Frequency Code value is missing.</p>
SA Rating For	Indicates the rating based on the answers given by the	<p>Data Type Validation</p>

Field	Description	Validation Rules
Dimension 5 Code	client for Dimension 5 Questions.	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 5 Code had an incorrect data type.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 5 Code value is invalid.</p>
		<p>Required Rule Validation</p> <p>SA Rating For Dimension 5 Code Required Rule [External Record ID] of the [failed record name] record failed because required field SA Rating For Dimension 5 Code value is missing.</p>
MH Rating For Dimension 5 Code	Indicates the MH rating based on the answers given by the client for Dimension 5 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 5 Code had an incorrect data type.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 5 Code value is invalid.</p>
		<p>Required Rule Validation</p> <p>MH Rating For Dimension 5 Code Required Rule [External Record ID] of the [failed record name] record failed because required field MH Rating For Dimension 5 Code value is missing.</p>

Field	Description	Validation Rules
Dimension Summary Description	Indicates the summary of Dimension 5 assessment.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.
		Length Validation
		250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.
		Required Rule Validation
		Dimension Summary Description Required Rule [External Record ID] of the [failed record name] record failed because required field Dimension Summary Description value is missing.

9.5.9 Dimension 6 Fields

Fields and associated validation rules with errors for Dimension 6 questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 34: Dimension 6 Fields Table

Field	Description	Validation Rules
Living Arrangement Code	Indicates the question (Please indicate your living arrangement).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an incorrect data type.

Field	Description	Validation Rules						
		<p>Length Validation</p> <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Living Arrangement Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Has Living Arrangement Code value is missing.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code value is invalid.	Living Arrangement Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Living Arrangement Code value is missing.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an invalid length format.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code value is invalid.							
Living Arrangement Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Has Living Arrangement Code value is missing.							
Is Living Arrangement Drug Free	Indicates the question (Is your current living environment drug and alcohol free?).	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td></td> <td></td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free value is invalid.		
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Living Arrangement Drug Free value is invalid.							

Field	Description	Validation Rules
		<p>Is Living Arrangement Drug Free Required Rule [External Record ID] of the [failed record name] record failed because required field Is Living Arrangement Drug Free value is missing.</p>
Has Ran Away From Home	Indicates the question (Have you ever run away from home?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ran Away From Home had an incorrect data type.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ran Away From Home value is invalid.</p>
		<p>Required Rule Validation</p> <p>Has Ran Away From Home Required Rule [External Record ID] of the [failed record name] record failed because required field Has Ran Away From Home value is missing.</p>
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Assessment Type Code” is “Adolescent”.</p>
Ran Away From Home Description	Indicates the description from the client for Has Ran Away From Home.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Ran Away From Home Description had an incorrect data type.</p>
		<p>Length Validation</p>

Field	Description	Validation Rules
		<p data-bbox="688 246 1890 354">250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Why Ran Away From Home Description had an invalid length format.</p> <p data-bbox="688 386 1890 410">Vocabulary Validation</p> <p data-bbox="688 415 1890 553">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Ran Away From Home Description value is invalid.</p> <p data-bbox="688 594 1890 618">Required Rule Validation</p> <p data-bbox="688 623 1890 740">Ran Away From Home Description Required Rule [External Record ID] of the [failed record name] record failed because required field Has Ran Away From Home Description value is missing.</p> <p data-bbox="688 781 1890 805">Guidance</p> <p data-bbox="688 813 1890 837">Note</p> <p data-bbox="688 870 1890 902">This is Optional field and only Required when “Has Ran Away From Home” is a “Yes”.</p>
Employment Status Code	Indicates the question (Please indicate your current employment status:).	<p data-bbox="688 928 1890 953">Data Type Validation</p> <p data-bbox="688 958 1890 1109">String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Status Code had an incorrect data type.</p> <p data-bbox="688 1149 1890 1174">Length Validation</p> <p data-bbox="688 1179 1890 1317">50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Status Code had an invalid length format.</p> <p data-bbox="688 1357 1890 1382">Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Status Code value is invalid.</p> <p>Required Rule Validation</p> <p>Employment Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Employment Status Code value is missing.</p>
Is Currently In School	Indicates the question (Are you currently in school, enrolled in a GED program or a vocational program?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Currently In School had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Status Code value is invalid.</p> <p>Required Rule Validation</p> <p>Employment Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Employment Status Code value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Assessment Type Code” is “Adolescent”.</p>
Education Status Code	Indicates the question (What is	<p>Data Type Validation</p>

Field	Description	Validation Rules
	your education status?).	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Status Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Status Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Status Code value is invalid.</p> <p>Required Rule Validation</p> <p>Education Status Code Required Rule [External Record ID] of the [failed record name] record failed because required field Education Status Code value is missing.</p>
Has Been Arrested In 30 Days	Indicates the question (Have you been arrested in the last 30 days?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been Arrested In 30 Days had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been Arrested In 30 Days value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Has Been Arrested In 30 Days Required Rule [External Record ID] of the [failed record name] record failed because required field Has Been Arrested In 30 Days value is missing.</p>
Times Arrested In Last 30 Days Number	Indicates the number of times arrested In last 30 days.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Times Arrested In Last 30 Days Number had an incorrect data type.</p>
		<p>Required Rule Validation</p> <p>Has Been Arrested In 30 Days Number Required Rule [External Record ID] of the [failed record name] record failed because required field Has Been Arrested In 30 Days Number value is missing.</p>
		<p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Been Arrested In 30 Days” is a “Yes”.</p>
Has Ever Been Arrested	Indicates the question (Have you ever been arrested?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ever Been Arrested had an incorrect data type.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Ever Been Arrested value is invalid.</p>
		<p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Has Ever Been Arrested Required Rule [External Record ID] of the [failed record name] record failed because required field Has Ever Been Arrested value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Been Arrested In 30 Days” is a “NO”.</p>
Arrested Description	Indicates the description from the client for Has Ever Been Arrested.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Arrested Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Arrested Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Arrested Description Required Rule [External Record ID] of the [failed record name] record failed because required field Arrested Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Ever Been Arrested” is a “Yes”.</p>
Has Been Arrested For Drugs Or Alcohol	Indicates the question (Have you had any alcohol or drug related arrests?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been Arrested For Drugs Or Alcohol had an incorrect data type.</p>

Field	Description	Validation Rules
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Been Arrested For Drugs Or Alcohol value is invalid.</p> <p>Required Rule Validation</p> <p>Has Been Arrested For Drugs Or Alcohol Required Rule [External Record ID] of the [failed record name] record failed because required field Has Been Arrested For Drugs Or Alcohol value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Ever Been Arrested” is a “Yes”.</p>
Arrested For Drugs Or Alcohol Description	Indicates the description from the client for Has Been Arrested For Drugs Or Alcohol.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Arrested For Drugs Or Alcohol Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Arrested For Drugs Or Alcohol Description had an invalid length format.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Arrested For Drugs Or Alcohol Description Required Rule [External Record ID] of the [failed record name] record failed because required field Arrested For Drugs Or Alcohol Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Been Arrested For Drugs Or Alcohol” is a “Yes”.</p>
Is Currently Involved In Court Case	Indicates the question (Are you currently involved with the court or a court officer?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Currently Involved In Court Case had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Currently Involved In Court Case value is invalid.</p> <p>Required Rule Validation</p> <p>Is Currently Involved In Court Case Required Rule [External Record ID] of the [failed record name] record failed because required field Is Currently Involved In Court Case value is missing.</p>
Involved In Court Case Description	Indicates the description from the client for “Is Currently Involved In Court Case”.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Involved In Court Case Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Involved In Court Case Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Involved In Court Case Description Required Rule [External Record ID] of the [failed record name] record failed because required field Involved In Court Case Description value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Is Currently Involved In Court” is a “Yes”.</p>
Is Registered Sex Offender	Indicates the question (Are you a registered sex offender?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Registered Sex Offender had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Registered Sex Offender value is invalid.</p> <p>Required Rule Validation</p> <p>Is Registered Sex Offender Required Rule [External Record ID] of the [failed record name] record failed because required Is Registered Sex Offender value is missing.</p>
Has Dependent Children	Indicates the question (Do you	<p>Data Type Validation</p>

Field	Description	Validation Rules
	have dependent children?)	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Dependent Children had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Dependent Children value is invalid.</p> <p>Required Rule Validation</p> <p>Has Dependent Children Required Rule [External Record ID] of the [failed record name] record failed because required Has Dependent Children value is missing.</p>
Dependent Children Number	Indicates the number of dependent children if client has any.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Dependent Children Number had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Dependent Children Number Required Rule [External Record ID] of the [failed record name] record failed because required Dependent Children Number value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Dependent Children” is a “Yes”.</p>
Custody Of Children Description	Indicates the question (Who has	<p>Data Type Validation</p>

Field	Description	Validation Rules
	custody of these children?)	<p data-bbox="680 245 1898 354">String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Custody Of Children Description had an incorrect data type.</p> <p data-bbox="680 391 1898 418">Length Validation</p> <p data-bbox="680 451 1898 560">250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Custody Of Children Description had an invalid length format.</p> <p data-bbox="680 597 1898 625">Required Rule Validation</p> <p data-bbox="680 662 1898 738">Custody Of Children Description Required Rule [External Record ID] of the [failed record name] record failed because required field Custody Of Children Description value is missing.</p> <p data-bbox="680 781 1898 808">Guidance</p> <p data-bbox="680 813 1898 841">Note</p> <p data-bbox="680 873 1898 901">This is Optional field and only Required when “Has Dependent Children” is a “Yes”.</p>
Is Childcare Available	Indicates the question (Is childcare available for these children?)	<p data-bbox="680 927 1898 954">Data Type Validation</p> <p data-bbox="680 992 1898 1101">String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Childcare Available had an incorrect data type.</p> <p data-bbox="680 1138 1898 1166">Vocabulary Validation</p> <p data-bbox="680 1203 1898 1312">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Childcare Available value is invalid.</p> <p data-bbox="680 1349 1898 1377">Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Is Childcare Available Required Rule [External Record ID] of the [failed record name] record failed because required Is Childcare Available value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when “Has Dependent Children” is a “Yes”.</p>
Quality Of Family Interaction Description	Indicates the question (What is the quality of interaction with your family?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Quality Of Family Interaction Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Quality Of Family Interaction Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Quality Of Family Interaction Description Required Rule [External Record ID] of the [failed record name] record failed because required field Quality Of Family Interaction Description value is missing.</p>
Support System Satisfaction Description	Indicates the question (How satisfied are you with your support system?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Support System Satisfaction Description had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		<p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Support System Satisfaction Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Support System Satisfaction Description Required Rule [External Record ID] of the [failed record name] record failed because required field Support System Satisfaction Interaction Description value is missing.</p>
Has Reliable Transportation	Indicates the question (Do you have reliable transportation?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Reliable Transportation had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Has Reliable Transportation value is invalid.</p> <p>Required Rule Validation</p> <p>Has Reliable Transportation Required Rule [External Record ID] of the [failed record name] record failed because required Has Reliable Transportation value is missing.</p>
Transportation Description	Indicates the description from the client for Has Reliable Transportation.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Transportation Description had an incorrect data type.</p>

Field	Description	Validation Rules
		<p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Transportation Description had an invalid length format.</p> <p>Required Rule Validation</p> <p>Transportation Description Required Rule [External Record ID] of the [failed record name] record failed because required field Transportation Interaction Description value is missing.</p>
SA Rating For Dimension 6 Code	Indicates the rating based on the answers given by the client for Dimension 6 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 6 Code had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because SA Rating For Dimension 6 Code value is invalid.</p> <p>Required Rule Validation</p> <p>SA Rating For Dimension 6 Code Required Rule [External Record ID] of the [failed record name] record failed because required SA Rating For Dimension 6 Code value is missing.</p>
MH Rating For Dimension 6 Code	Indicates the MH rating based on the answers given by the client for Dimension 6 Questions.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 6 Code had an incorrect data type.</p>

Field	Description	Validation Rules		
		Vocabulary Validation <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 6 Code value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 6 Code value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because MH Rating For Dimension 6 Code value is invalid.			
		Required Rule Validation <table border="1"> <tr> <td>MH Rating For Dimension 6 Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required MH Rating For Dimension 6 Code value is missing.</td> </tr> </table>	MH Rating For Dimension 6 Code Required Rule	[External Record ID] of the [failed record name] record failed because required MH Rating For Dimension 6 Code value is missing.
MH Rating For Dimension 6 Code Required Rule	[External Record ID] of the [failed record name] record failed because required MH Rating For Dimension 6 Code value is missing.			
Dimension Summary Description	Indicates the summary of Dimension 6 assessment.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an incorrect data type.			
		Length Validation <table border="1"> <tr> <td>250</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.</td> </tr> </table>	250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.
250	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Dimension Summary Description had an invalid length format.			
		Required Rule Validation <table border="1"> <tr> <td>Dimension Summary Description Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Dimension Summary Interaction Description value is missing.</td> </tr> </table>	Dimension Summary Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Dimension Summary Interaction Description value is missing.
Dimension Summary Description Required Rule	[External Record ID] of the [failed record name] record failed because required field Dimension Summary Interaction Description value is missing.			

9.5.10 Assessed Level Of Care Fields

Fields and associated validation rules with errors for Assessed Level Of Care questions. **Section # 7 describes all possible errors.**

Note: After the initial Assessment record is created in Alabama WITS, Providers must contact WITS support team for any addition, updates to an ADMH Placement Assessment Record and addition, updates, and deletion of sub records in the sub section of an Assessment.

Table 35: Assessed Level of Care Fields Table

Field	Description	Validation Rules
Assessed Level Of Care Code	Indicates Assessed Level Of Care Code.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Level Of Care Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Level Of Care Code had an invalid length format.
		Vocabulary Validation
Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Level Of Care Code value is invalid.		
Placed Level Of Care Code	Indicates Placed Level Of Care Code.	Required Rule Validation
		Assessed Level Of Care Code Required Rule [External Record ID] of the [failed record name] record failed because required field Assessed Level Of Care Code value is missing.
		Data Type Validation
String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Level Of Care Code had an incorrect data type.		
		Length Validation

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Level Of Care Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Level Of Care Code value is invalid.</p> <p>Required Rule Validation</p> <p>Placed Level Of Care Code Required Rule [External Record ID] of the [failed record name] record failed because required field Placed Level Of Care Code value is missing.</p>
Loc Reason For Difference Code	Indicates Loc Reason For Difference Code.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Loc Reason For Difference Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Loc Reason For Difference Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Loc Reason For Difference Code value is invalid.</p>

Field	Description	Validation Rules
		<p>Required Rule Validation</p> <p>Loc Reason For Difference Code Required Rule [External Record ID] of the [failed record name] record failed because required field Loc Reason For Difference Code value is missing.</p> <p>Guidance</p> <p>Note This is Optional field and only Required when “Assessed Level Of Care Code” and “Placed Level Of Care Code” answers are not same.</p>
Disposition Code	Indicates Disposition Code.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Disposition Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Disposition Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Disposition Code value is invalid.</p> <p>Required Rule Validation</p> <p>Disposition Code Required Rule [External Record ID] of the [failed record name] record failed because required field Disposition Code value is missing.</p>
Referred To Description	Indicates Referred To Description.	<p>Data Type Validation</p>

Field	Description	Validation Rules
		<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Referred To Description had an incorrect data type.</p> <p>Length Validation</p> <p>250 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Referred To Description had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Referred To Description value is invalid.</p> <p>Required Rule Validation</p> <p>Referred To Description Required Rule [External Record ID] of the [failed record name] record failed because required field Referred To Description value is missing.</p> <p>Guidance</p> <p>Note This is Optional field and only Required when Disposition Code is not Admitted (48.1) or Refused further services (48.6).</p>
Co-occurring Disorder Screen Performed Code	Indicates Co-occurring Disorder Screen Performed Code.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Co-occurring Disorder Screen Performed Code had an incorrect data type.</p> <p>Length Validation</p>

Field	Description	Validation Rules
		<p data-bbox="659 245 1898 354">50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Co-occurring Disorder Screen Performed Code had an invalid length format.</p> <p data-bbox="659 358 1898 407">Vocabulary Validation</p> <p data-bbox="659 412 1898 553">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Co-occurring Disorder Screen Performed Code value is invalid.</p> <p data-bbox="659 558 1898 607">Required Rule Validation</p> <p data-bbox="659 612 1898 760">Co-occurring Disorder Screen Performed Code Required Rule [External Record ID] of the [failed record name] record failed because required field Co-occurring Disorder Screen Performed Code value is missing.</p>
Explanation To Include Outcome Comments	Indicates Explanation To Include Outcome Comments.	<p data-bbox="659 764 1898 813">Data Type Validation</p> <p data-bbox="659 818 1898 943">String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Explanation To Include Outcome Comments had an incorrect data type.</p> <p data-bbox="659 948 1898 997">Length Validation</p> <p data-bbox="659 1002 1898 1143">255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Explanation To Include Outcome Comments had an invalid length format.</p> <p data-bbox="659 1148 1898 1196">Vocabulary Validation</p> <p data-bbox="659 1201 1898 1343">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Explanation To Include Outcome Comments value is invalid.</p> <p data-bbox="659 1347 1898 1396">Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Explanation To Include Outcome Comments Required Rule [External Record ID] of the [failed record name] record failed because required field Explanation To Include Outcome Comments value is missing.</p>

9.5.11 Diagnosis Fields

9.5.11.1 Description

Diagnosis record represents the category under which the **Diagnosis** fall in. A client can contain multiple **Diagnosis** records. A **Diagnosis** record will be uniquely identified in the Alabama WITS by the **External Diagnosis Code Record Id** and **Diagnosis ICD Code**. Therefore, no two **Diagnosis** records can be submitted with the same **Diagnosis ICD Code** for the same Client.

9.5.11.2 Key Fields

The fields in this entity that will be used to uniquely identify a record.

Field
External Diagnosis Code Record Id
Diagnosis ICD Code

9.5.11.3 Fields

Fields and associated validation rules with errors for Diagnosis question. **Section # 7 describes all possible errors.**

Table 36: External Diagnosis Code Record Id Fields Table

Field	Description	Validation Rules
External Diagnosis Code Record Id	The Provider's internal system identifier for the Client Diagnosis Record.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Diagnosis Code Record Id had an incorrect data type.</p>
		<p>Length Validation</p>

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External Diagnosis Code Record Id had an invalid length format.</p> <p>Required Rule Validation</p> <p>Explanation To Include Outcome Comments Required Rule [External Record ID] of the [failed record name] record failed because required field External Diagnosis Code Record Id value is missing.</p>
Diagnosis ICD Code	This code indicates the category of the Diagnosis.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Diagnosis ICD Code had an incorrect data type.</p> <p>Length Validation</p> <p>10 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Diagnosis ICD Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Diagnosis ICD Code value is invalid.</p> <p>Required Rule Validation</p> <p>Diagnosis ICD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Diagnosis ICD Code value is missing.</p>
Effective Date	Indicates Diagnosis Effective Date.	<p>Data Type Validation</p> <p>datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Effective Date had an incorrect data type.</p>

Field	Description	Validation Rules						
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Effective Date Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Effective Date value is missing.</td> </tr> <tr> <td>Effective Date Format (YYYY-MM-DD) Rule</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Effective Date format is invalid.</td> </tr> </table>	Effective Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Effective Date value is missing.	Effective Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Effective Date format is invalid.		
Effective Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Effective Date value is missing.							
Effective Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Effective Date format is invalid.							
Is Principal	Indicates if the Diagnosis is Principal	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Is Principal Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Is Principal value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal had an incorrect data type.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal value is invalid.	Is Principal Required Rule	[External Record ID] of the [failed record name] record failed because required field Is Principal value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal had an incorrect data type.							
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Principal value is invalid.							
Is Principal Required Rule	[External Record ID] of the [failed record name] record failed because required field Is Principal value is missing.							
Is Provisional	Indicates if the Diagnosis is Provisional	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Provisional had an incorrect data type.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td></td> <td></td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Provisional had an incorrect data type.				
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Provisional had an incorrect data type.							

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Provisional value is invalid.</p> <p>Required Rule Validation</p> <p>Is Provisional Required Rule [External Record ID] of the [failed record name] record failed because required field Is Provisional value is missing.</p>
Is Rule Out	Indicates if the Diagnosis is Rule Out	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Rule Out had an incorrect data type.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Rule Out value is invalid.</p> <p>Required Rule Validation</p> <p>Is Rule Out Required Rule [External Record ID] of the [failed record name] record failed because required field Is Rule Out value is missing.</p>

9.5.12 Review and Sign Off Fields

Fields and associated validation rules with errors for Review and Sign Off question. **Section # 7 describes all possible errors.**

Table 37: Review and Sign Off Fields Table

Field	Description	Validation Rules
Is Release Appropriate	This code indicates if the release is	<p>Data Type Validation</p>

appropriate for this client.	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Release Appropriate had an incorrect data type.
	Vocabulary Validation	
	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Release Appropriate value is invalid.
	Required Rule Validation	
	Is Release Appropriate Required Rule	[External Record ID] of the [failed record name] record failed because required field Is Release Appropriate value is missing.

9.6 ADMH Update Assessment

9.6.1 Description

Fields and validation rules with errors associated with Profile section for ADMH Update Assessment record creation, Outcome Measures record creation and Client Program Enrollment record creation. **Section # 7 describes all possible errors.**

9.6.2 Key Fields

ExternalADMHUpdateAssessmentRecordId

9.6.3 Profile, OM (Outcome Measures) and CPE (Client Program Enrollment) Fields

Fields and validation rules with errors associated with Profile, OM and CPE sections for ADMH Update Assessment record creation, Outcome Measures record creation and Client Program Enrollment record creation. **Section # 7 describes all possible errors.**

Table 38: External Update Assessment Record Id Fields Table

Field	Description	Validation Rules
External ADMH Update	The Provider's internal system identifier for the Client ADMH	Data Type Validation

Field	Description	Validation Rules
Assessment Record Id	Update Assessment Record.	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Update Assessment Record Id had an incorrect data type.</p>
		<p>Length Validation</p>
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because External ADMH Update Assessment Record Id had an invalid length format.</p>
		<p>Required Rule Validation</p>
		<p>External ADMH Update Assessment Record Id Required Rule [External Record ID] of the [failed record name] record failed because required field External ADMH Update Assessment Record Id value is missing.</p>
		<p>Guidance</p> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
Update Assessment Type Code	This Code indicates if the client is an Adult or an Adolescent.	<p>Data Type Validation</p>
		<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Update Assessment Type Code had an incorrect data type.</p>
		<p>Vocabulary Validation</p>
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Update Assessment Type Code value is invalid.</p>

Field	Description	Validation Rules								
		Required Rule Validation <table border="1"> <tr> <td>Update Assessment Type Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Update Assessment Type Code value is missing.</td> </tr> </table>	Update Assessment Type Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Update Assessment Type Code value is missing.						
Update Assessment Type Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Update Assessment Type Code value is missing.									
Update Assessment Date	Indicates the day when this update assessment was created.	Data Type Validation <table border="1"> <tr> <td>date</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Update Assessment Date had an incorrect data type.</td> </tr> </table> Required Rule Validation <table border="1"> <tr> <td>Update Assessment Date Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Update Assessment Date value is missing.</td> </tr> <tr> <td>Update Assessment Date must be greater than or equal to Placement Assessment Date rule</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date is invalid.</td> </tr> <tr> <td>Update Assessment Date Format (YYYY-MM-DD) Rule</td> <td>[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date format is invalid.</td> </tr> </table>	date	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Update Assessment Date had an incorrect data type.	Update Assessment Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Update Assessment Date value is missing.	Update Assessment Date must be greater than or equal to Placement Assessment Date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date is invalid.	Update Assessment Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date format is invalid.
date	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Update Assessment Date had an incorrect data type.									
Update Assessment Date Required Rule	[External Record ID] of the [failed record name] record failed because required field Update Assessment Date value is missing.									
Update Assessment Date must be greater than or equal to Placement Assessment Date rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date is invalid.									
Update Assessment Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Update Assessment Date format is invalid.									
Is Client Pregnant	Indicates whether the client was pregnant when this assessment was created.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant had an incorrect data type.</td> </tr> </table> Vocabulary Validation <table border="1"> <tr> <td></td> <td></td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant had an incorrect data type.						
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant had an incorrect data type.									

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Is Client Pregnant value is invalid.</p> <p>Required Rule Validation</p> <p>Is Client Pregnant Required Rule [External Record ID] of the [failed record name] record failed because required field Is Client Pregnant value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the submitted client is a “Female”.</p>
<p>Pregnancy Due Date</p>	<p>Pregnancy Due Date is the date when the client’s pregnancy delivery date is due.</p>	<p>Data Type Validation</p> <p>datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Pregnancy Due Date had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Pregnancy Due Date Required Rule [External Record ID] of the [failed record name] record failed because required field Pregnancy Due Date value is missing.</p> <p>Pregnancy Due Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Pregnancy Due Date format is invalid.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when the submitted client is a “Female” and “Is Client Pregnant” is a “Yes”.</p>

Field	Description	Validation Rules
Estimate Annual Income Amount	Indicates the estimated annual income of the client when this assessment was done.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Estimate Annual Income Amount had an incorrect data type. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Is Client Pregnant Required Rule [External Record ID] of the [failed record name] record failed because required field Estimate Annual Income Amount value is missing. </div>
Total Of Marriage	Indicates client's total number of marriages when this assessment was done.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Total Of Marriage had an incorrect data type. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Total Of Marriage Required Rule [External Record ID] of the [failed record name] record failed because required field Total Of Marriage value is missing. </div>
Teds Days on Wait List	Indicates number of days wait list for program enrollment.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Teds Days on Wait List had an incorrect data type. </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> Teds Days on Wait List Required Rule [External Record ID] of the [failed record name] record failed because required field Teds Days on Wait List value is missing. </div>
Program Enrollment	This Date indicates the day when the	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> </div>

Field	Description	Validation Rules
Last Contact Date	client was last in contact during the program.	date [External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Last Contact Date had an incorrect data type.
		Required Rule Validation
		Enrollment Last Contact Date Required Rule [External Record ID] of the [failed record name] record failed because required field Enrollment Last Contact Date value is missing.
		Enrollment Last Contact Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Enrollment Last Contact Date format is invalid.
		Guidance
	Note	This is Optional field and only Required when “Level of Care” has changed from the prior submitted assessment and the associated CPE (Client Program Enrollment) needs to be closed.
Program Enrollment Termination Reason Code	This Code indicate the Program Enrollment Termination Reason Code.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Termination Reason Code had an incorrect data type.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Termination Reason Code value is invalid.
	Required Rule Validation	

Field	Description	Validation Rules
		Program Enrollment Termination Reason Code Required Rule [External Record ID] of the [failed record name] record failed because required field Program Enrollment Termination Reason Code value is missing.
		Guidance Note This is Optional field and only Required when “Level of Care” has changed from the prior submitted assessment and the associated CPE (Client Program Enrollment) needs to be closed.

9.6.4 Client Info and Services Fields

Fields and validation rules with errors associated with Client Info and Services section for ADMH Update Assessment record creation. **Section # 7 describes all possible errors.**

Table 39: Client Info and Services Fields Table

Field	Description	Validation Rules
Education Code	The code indicates the question (Amount of Completed School?).	Data Type Validation String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Code had an incorrect data type.
		Length Validation 50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Code had an invalid length format.
		Vocabulary Validation Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Education Code value is invalid.
		Required Rule Validation

Field	Description	Validation Rules
		Education Code Required Rule [External Record ID] of the [failed record name] record failed because required field Education Code value is missing.
Financial Support Code	This Code indicates the question (Source of Financial Support).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Financial Support Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Financial Support Code had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Financial Support Code value is invalid.
		Required Rule Validation
		Financial Support Code Required Rule [External Record ID] of the [failed record name] record failed because required field Financial Support Code value is missing.
Insurance Code	This Code indicates the question (Health Insurance).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Insurance Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Insurance Code had an invalid length format.

Field	Description	Validation Rules
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Insurance Code value is invalid.</p> <p>Required Rule Validation</p> <p>Insurance Code Required Rule [External Record ID] of the [failed record name] record failed because required field Insurance Code value is missing.</p>
Payment Source Code	This Code indicates client payment source type.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Payment Source Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Payment Source Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Payment Source Code value is invalid.</p> <p>Required Rule Validation</p> <p>Payment Source Code Required Rule [External Record ID] of the [failed record name] record failed because required field Payment Source Code value is missing.</p>
Medical Treatment Code	This Code indicates the question (Is the	<p>Data Type Validation</p>

Field	Description	Validation Rules
	Client participating in MAT for OUD?).	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Medical Treatment Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Medical Treatment Code had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Medical Treatment Code value is invalid.
		Required Rule Validation
		Medical Treatment Code Required Rule [External Record ID] of the [failed record name] record failed because required field Medical Treatment Code value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Marital Status Code had an incorrect data type.
		Length Validation
Marital Status Code	This Code indicates the question (marital status).	50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Marital Status Code had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Marital Status Code value is invalid.

Field	Description	Validation Rules								
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Marital Status Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Marital Status Code value is missing.</td> </tr> </table>	Marital Status Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Marital Status Code value is missing.						
Marital Status Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Marital Status Code value is missing.									
Employment Code	This Code indicates the question (Employment Status).	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Employment Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Employment Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code value is invalid.	Employment Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Employment Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Employment Code value is invalid.									
Employment Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Employment Code value is missing.									
Living Arrangement Code	This Code indicates the question (Please indicate your living arrangement).	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td></td> <td></td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an incorrect data type.						
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an incorrect data type.									

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Living Arrangement Code value is invalid.</p> <p>Required Rule Validation</p> <p>Living Arrangement Code Required Rule [External Record ID] of the [failed record name] record failed because required field Living Arrangement Code value is missing.</p>
<p>Cooccurring Disorders Assessment Performed Code</p>	<p>This Code indicates the question (Co-Occurring Disorders Assessment Performed?).</p>	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Assessment Performed Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Assessment Performed Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Assessment Performed Code value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		<p>Cooccurring Disorders Assessment Performed Code Required Rule [External Record ID] of the [failed record name] record failed because required field Cooccurring Disorders Assessment Performed Code value is missing.</p>
Cooccurring Disorders Identified Code	This Code indicates the question (Co-Occurring Disorder Identified).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Identified Code had an incorrect data type.</p>
		<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Identified Code had an invalid length format.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Identified Code value is invalid.</p>
		<p>Required Rule Validation</p> <p>Cooccurring Disorders Identified Code Required Rule [External Record ID] of the [failed record name] record failed because required field Cooccurring Disorders Identified Code value is missing.</p>
Cooccurring Disorders Screen Results Code	This Code indicates the question (Co-Occurring Disorders Screen Results).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Screen Results Code had an incorrect data type.</p>
		<p>Length Validation</p>

Field	Description	Validation Rules
		<p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Screen Results Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Cooccurring Disorders Screen Results Code value is invalid.</p> <p>Required Rule Validation</p> <p>Cooccurring Disorders Screen Results Code Required Rule [External Record ID] of the [failed record name] record failed because required field Cooccurring Disorders Screen Results Code value is missing.</p>
Prior Episode Number	This indicates the question (Number of Prior Treatment Episodes).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Prior Episode Number had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Prior Episode Number Required Rule [External Record ID] of the [failed record name] record failed because required field Prior Episode Number value is missing.</p>
Arrest 30 Days Prior To Interview	This indicates the question (Number of arrests 30 days prior to interview date).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Arrest 30 Days Prior To Interview had an incorrect data type.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules
		Arrest 30 Days Prior To Interview Required Rule [External Record ID] of the [failed record name] record failed because required field Arrest 30 Days Prior To Interview value is missing.
Self Help Code	This Code indicates the question (Has the client participated in self-help groups or support groups (e.g., AA, NA, etc.) in the last 30 days?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Self Help Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Self Help Code had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Self Help Code value is invalid.
		Required Rule Validation
		Self Help Code Required Rule [External Record ID] of the [failed record name] record failed because required field Self Help Code value is missing.

9.6.5 Criteria Questions Fields

Fields and validation rules with errors associated with Criteria Questions section for ADMH Update Assessment record creation. **Section # 7 describes all possible errors.**

Table 40: Criteria Questions Fields Table

Field	Description	Validation Rules
Larger Amount Of AOD Code	The code indicates the question (Have you used larger amounts of	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Of AOD Code had an incorrect data type.

Field	Description	Validation Rules
	AOD than you intended or longer than you intended?).	<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Of AOD Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Of AOD Code value is invalid.</p> <p>Required Rule Validation</p> <p>Larger Amount Of AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Larger Amount Of AOD Code value is missing.</p>
Larger Amount Explain Note	Indicates Larger Amount Of AOD description.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Explain Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Explain Note had an invalid length format.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p data-bbox="1050 237 1906 349">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Larger Amount Explain Note value is invalid.</p> <p data-bbox="1050 349 1906 414">Must be a valid vocabulary from the provided code values</p> <p data-bbox="1050 414 1906 446">Required Rule Validation</p> <p data-bbox="1050 446 1906 527">[External Record ID] of the [failed record name] record failed because required field Larger Amount Explain Note value is missing.</p> <p data-bbox="1050 527 1906 560">Larger Amount Explain Note Required Rule</p> <p data-bbox="1050 560 1906 592">Guidance</p> <p data-bbox="1050 592 1906 625">Note</p> <p data-bbox="1050 625 1906 706">This is Optional field and only Required when Larger Amounts Of AOD Code is selected as “Yes”.</p>
<p data-bbox="191 711 655 820">Previous Efforts AOD Code</p>	<p data-bbox="655 711 1050 966">The code indicates the question (Have previous efforts to cut down or control AOD use been unsuccessful?).</p>	<p data-bbox="1050 711 1906 743">Data Type Validation</p> <p data-bbox="1050 743 1906 868">[failed record name record from [Upload file] submission failed because Previous Efforts AOD Code had an incorrect data type.</p> <p data-bbox="1050 868 1906 901">String</p> <p data-bbox="1050 901 1906 933">Length Validation</p> <p data-bbox="1050 933 1906 1063">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Previous Efforts AOD Code had an invalid length format.</p> <p data-bbox="1050 1063 1906 1096">50</p> <p data-bbox="1050 1096 1906 1128">Vocabulary Validation</p> <p data-bbox="1050 1128 1906 1274">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Previous Efforts AOD Code value is invalid.</p> <p data-bbox="1050 1274 1906 1307">Must be a valid vocabulary from the provided code values</p> <p data-bbox="1050 1307 1906 1339">Required Rule Validation</p>

Field	Description	Validation Rules
Previous Efforts Explain Note	Indicates Previous Efforts AOD code description.	Previous Efforts AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Previous Efforts AOD Code value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Previous Efforts Explain Note had an incorrect data type.
		Length Validation
		255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Previous Efforts Explain Note had an invalid length format.
		Vocabulary Validation
Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Previous Efforts Explain Note value is invalid.		
Required Rule Validation		
Previous Efforts Explain Note Required Rule [External Record ID] of the [failed record name] record failed because required field Previous Efforts Explain Note value is missing.		
Guidance		
Note		
This is Optional field and only Required when Previous Efforts AOD Code is selected as “Yes”.		
Activities AOD Code	The code indicates the question (Do you spend a great deal of time in	Data Type Validation

Field	Description	Validation Rules	
	activities to obtain AOD and/or feeling its effects?).	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities AOD Code had an incorrect data type.	
		Length Validation	
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities AOD Code had an invalid length format.	
		Vocabulary Validation	
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities AOD Code value is invalid.	
		Required Rule Validation	
		Activities AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Activities AOD Code value is missing.	
Activities Explain Note	Indicates Activities AOD code description.	Data Type Validation	
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities Explain Note had an incorrect data type.	
		Length Validation	
		255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities Explain Note had an invalid length format.	
		Vocabulary Validation	
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Activities Explain Note value is invalid.	

Field	Description	Validation Rules								
		<p>Required Rule Validation</p> <table border="1"> <tr> <td>Activities Explain Note Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Activities Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Activities AOD Code is selected as “Yes”.</p>	Activities Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Activities Explain Note value is missing.						
Activities Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Activities Explain Note value is missing.									
Strong Desire of AOD Code	The code indicates the question (Have you had cravings or a strong desire to use AOD?).	<p>Data Type Validation</p> <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td>Strong Desire of AOD Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Strong Desire of AOD Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code value is invalid.	Strong Desire of AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Strong Desire of AOD Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire of AOD Code value is invalid.									
Strong Desire of AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Strong Desire of AOD Code value is missing.									

Field	Description	Validation Rules								
Strong Desire Explain Note	Indicates Strong Desire Of AOD code description.	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 267 976 414">String</td> <td data-bbox="982 267 1890 414">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="661 479 976 625">255</td> <td data-bbox="982 479 1890 625">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="661 690 976 836">Must be a valid vocabulary from the provided code values</td> <td data-bbox="982 690 1890 836">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="661 901 976 1015">Strong Desire Explain Note Required Rule</td> <td data-bbox="982 901 1890 1015">[External Record ID] of the [failed record name] record failed because required field Strong Desire Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Strong Desire of AOD Code is selected as “Yes”.</p>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an incorrect data type.	255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note value is invalid.	Strong Desire Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Strong Desire Explain Note value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an incorrect data type.									
255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Strong Desire Explain Note value is invalid.									
Strong Desire Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Strong Desire Explain Note value is missing.									
Social Obligation of AOD Code	The code indicates the question (Have you used AOD to the point that you have neglected	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 1209 976 1356">String</td> <td data-bbox="982 1209 1890 1356">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation of AOD Code had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation of AOD Code had an incorrect data type.						
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation of AOD Code had an incorrect data type.									

Field	Description	Validation Rules
	important social obligations (work, school, home?).	Length Validation <div style="border: 1px solid black; padding: 5px;"> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation of AOD Code had an invalid length format.</p> </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation of AOD Code value is invalid.</p> </div>
		Required Rule Validation <div style="border: 1px solid black; padding: 5px;"> <p>Social Obligation of AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Social Obligation of AOD Code value is missing.</p> </div>
Social Obligation Explain Note	Indicates Social Obligation Of AOD code description.	Data Type Validation <div style="border: 1px solid black; padding: 5px;"> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation Explain Note had an incorrect data type.</p> </div>
		Length Validation <div style="border: 1px solid black; padding: 5px;"> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation Explain Note had an invalid length format.</p> </div>
		Vocabulary Validation <div style="border: 1px solid black; padding: 5px;"> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Social Obligation Explain Note value is invalid.</p> </div>

Field	Description	Validation Rules								
		<p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="663 354 1003 418">Social Obligation Explain Note Required Rule</td> <td data-bbox="1003 354 1898 418">[External Record ID] of the [failed record name] record failed because required field Social Obligation Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Social Obligation of AOD Code is selected as “Yes”.</p>	Social Obligation Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Social Obligation Explain Note value is missing.						
Social Obligation Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Social Obligation Explain Note value is missing.									
<p>Negative Consequences Code</p>	<p>The code indicates the question (Have you continued to use despite the negative consequences (at work, school, home)?).</p>	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="663 711 1003 738">String</td> <td data-bbox="1003 673 1898 776">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="663 917 1003 945">50</td> <td data-bbox="1003 880 1898 982">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="663 1123 1003 1188">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1003 1086 1898 1188">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="663 1302 1003 1367">Negative Consequences AOD Code Required Rule</td> <td data-bbox="1003 1302 1898 1367">[External Record ID] of the [failed record name] record failed because required field Negative Consequences AOD Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code value is invalid.	Negative Consequences AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Negative Consequences AOD Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences AOD Code value is invalid.									
Negative Consequences AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Negative Consequences AOD Code value is missing.									

Field	Description	Validation Rules								
Negative Consequences Explain Note	Indicates Negative Consequences code description.	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 337 743 362">String</td> <td data-bbox="995 305 1864 402">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="661 548 716 573">255</td> <td data-bbox="909 516 1839 613">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="661 751 1010 816">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1045 711 1860 816">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="661 930 989 995">Negative Consequences Explain Note Required Rule</td> <td data-bbox="1014 930 1839 995">[External Record ID] of the [failed record name] record failed because required field Negative Consequences Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Negative Consequences Code is selected as “Yes”.</p>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an incorrect data type.	255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note value is invalid.	Negative Consequences Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Negative Consequences Explain Note value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an incorrect data type.									
255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Negative Consequences Explain Note value is invalid.									
Negative Consequences Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Negative Consequences Explain Note value is missing.									
Socially Affected Of AOD Code	The code indicates the question (Have you continued using AOD even though your use affected	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 1284 743 1308">String</td> <td data-bbox="995 1252 1871 1349">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Of AOD Code had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Of AOD Code had an incorrect data type.						
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Of AOD Code had an incorrect data type.									

Field	Description	Validation Rules
	you socially (fights, problems in relationships, etc.)?)	<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Of AOD Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Of AOD Code value is invalid.</p> <p>Required Rule Validation</p> <p>Socially Affected Of AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Socially Affected Of AOD Code value is missing.</p>
Socially Affected Explain Note	Indicates Socially Affected Of AOD code description.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Explain Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Explain Note had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Affected Explain Note value is invalid.</p>

Field	Description	Validation Rules								
		<p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="663 354 1003 418">Socially Affected Explain Note Required Rule</td> <td data-bbox="1003 354 1898 418">[External Record ID] of the [failed record name] record failed because required field Socially Affected Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Socially Affected Of AOD Code is selected as “Yes”.</p>	Socially Affected Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Affected Explain Note value is missing.						
Socially Affected Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Affected Explain Note value is missing.									
Socially Give Up Of AOD Code	The code indicates the question (Has your AOD use caused you to give up or not participate in social, occupational or recreational activities that you once enjoyed?)	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="663 711 1003 740">String</td> <td data-bbox="1003 672 1898 776">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="663 915 1003 945">50</td> <td data-bbox="1003 876 1898 980">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="663 1120 1003 1185">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1003 1081 1898 1185">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="663 1299 1003 1364">Socially Give Up Of AOD Code Required Rule</td> <td data-bbox="1003 1299 1898 1364">[External Record ID] of the [failed record name] record failed because required field Socially Give Up Of AOD Code value is missing.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code value is invalid.	Socially Give Up Of AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Give Up Of AOD Code value is missing.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Of AOD Code value is invalid.									
Socially Give Up Of AOD Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Give Up Of AOD Code value is missing.									

Field	Description	Validation Rules												
Socially Give Up Explain Note	Indicates Socially Give Up Of AOD code description.	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 267 976 414">String</td> <td data-bbox="987 267 1890 414">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="661 479 976 625">255</td> <td data-bbox="987 479 1890 625">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="661 690 976 836">Must be a valid vocabulary from the provided code values</td> <td data-bbox="987 690 1890 836">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="661 901 976 1015">Socially Give Up Explain Note Required Rule</td> <td data-bbox="987 901 1890 1015">[External Record ID] of the [failed record name] record failed because required field Socially Give Up Explain Note value is missing.</td> </tr> </table> <p>Guidance</p> <table border="1"> <tr> <td colspan="2" data-bbox="661 1079 1890 1177">Note</td> </tr> <tr> <td colspan="2" data-bbox="661 1128 1890 1177">This is Optional field and only Required when Socially Give Up Of AOD Code is selected as “Yes”.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an incorrect data type.	255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note value is invalid.	Socially Give Up Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Give Up Explain Note value is missing.	Note		This is Optional field and only Required when Socially Give Up Of AOD Code is selected as “Yes”.	
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an incorrect data type.													
255	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note had an invalid length format.													
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Socially Give Up Explain Note value is invalid.													
Socially Give Up Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Socially Give Up Explain Note value is missing.													
Note														
This is Optional field and only Required when Socially Give Up Of AOD Code is selected as “Yes”.														
Unsafe Situation Code	The code indicates the question (Have you continued to use despite placing yourself and/or	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="661 1226 976 1372">String</td> <td data-bbox="987 1226 1890 1372">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Code had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Code had an incorrect data type.										
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Code had an incorrect data type.													

Field	Description	Validation Rules
	others in dangerous or unsafe situations?)	<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Code value is invalid.</p> <p>Required Rule Validation</p> <p>Unsafe Situation Code Required Rule [External Record ID] of the [failed record name] record failed because required field Unsafe Situation Code value is missing.</p>
Unsafe Situation Explain Note	Indicates Unsafe Situations code description.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Explain Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Explain Note had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Unsafe Situation Explain Note value is invalid.</p> <p>Required Rule Validation</p>

Field	Description	Validation Rules																
		<table border="1"> <tr> <td data-bbox="663 289 1003 354">Unsafe Situation Explain Note Required Rule</td> <td data-bbox="1003 289 1890 354">[External Record ID] of the [failed record name] record failed because required field Unsafe Situation Explain Note value is missing.</td> </tr> <tr> <td colspan="2" data-bbox="663 402 1890 425">Guidance</td> </tr> <tr> <td colspan="2" data-bbox="663 435 1890 457">Note</td> </tr> <tr> <td colspan="2" data-bbox="663 483 1890 516">This is Optional field and only Required when Unsafe Situation Code is selected as “Yes”.</td> </tr> </table>	Unsafe Situation Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Unsafe Situation Explain Note value is missing.	Guidance		Note		This is Optional field and only Required when Unsafe Situation Code is selected as “Yes”.									
Unsafe Situation Explain Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Unsafe Situation Explain Note value is missing.																	
Guidance																		
Note																		
This is Optional field and only Required when Unsafe Situation Code is selected as “Yes”.																		
Psychological Problems Code	The code indicates the question (Have you continued to use AOD after knowing it caused or contributed to physical and/or psychological problems?)	<table border="1"> <tr> <td colspan="2" data-bbox="663 539 1890 565">Data Type Validation</td> </tr> <tr> <td data-bbox="663 604 1003 669">String</td> <td data-bbox="1003 604 1890 669">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an incorrect data type.</td> </tr> <tr> <td colspan="2" data-bbox="663 750 1890 776">Length Validation</td> </tr> <tr> <td data-bbox="663 815 1003 880">50</td> <td data-bbox="1003 815 1890 880">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an invalid length format.</td> </tr> <tr> <td colspan="2" data-bbox="663 954 1890 980">Vocabulary Validation</td> </tr> <tr> <td data-bbox="663 1019 1003 1117">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1003 1019 1890 1117">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code value is invalid.</td> </tr> <tr> <td colspan="2" data-bbox="663 1156 1890 1182">Required Rule Validation</td> </tr> <tr> <td data-bbox="663 1221 1003 1286">Psychological Problems Code Required Rule</td> <td data-bbox="1003 1221 1890 1286">[External Record ID] of the [failed record name] record failed because required field Psychological Problems Code value is missing.</td> </tr> </table>	Data Type Validation		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an incorrect data type.	Length Validation		50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an invalid length format.	Vocabulary Validation		Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code value is invalid.	Required Rule Validation		Psychological Problems Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Psychological Problems Code value is missing.
Data Type Validation																		
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an incorrect data type.																	
Length Validation																		
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code had an invalid length format.																	
Vocabulary Validation																		
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Code value is invalid.																	
Required Rule Validation																		
Psychological Problems Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Psychological Problems Code value is missing.																	

Field	Description	Validation Rules
Psychological Problems Explain Note	Indicates Psychological Problems code description.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Explain Note had an incorrect data type.
		Length Validation
		255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Explain Note had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Psychological Problems Explain Note value is invalid.
		Required Rule Validation
		Psychological Problems Explain Note Required Rule [External Record ID] of the [failed record name] record failed because required field Psychological Problems Explain Note value is missing.
		Guidance
		Note
		This is Optional field and only Required when Unsafe Situation Code is selected as "Yes".
Same High Or Feel Of AOD Code	The code indicates the question (Do you need more AOD to get the same high or feel the same effect?)	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Of AOD Code had an incorrect data type.

Field	Description	Validation Rules
		<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Of AOD Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Of AOD Code value is invalid.</p> <p>Required Rule Validation</p> <p>Same High Or Feel Of AOD Code Required Rule [External Record ID] of the [failed record name] record failed because required field Same High Or Feel Of AOD Code value is missing.</p>
Same High Or Feel Explain Note	Indicates Same High Or Feel Of AOD code description.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Explain Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Explain Note had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Same High Or Feel Explain Note value is invalid.</p>

Field	Description	Validation Rules
		<p>Required Rule Validation</p> <p>Same High Or Feel Explain Note Required Rule [External Record ID] of the [failed record name] record failed because required field Same High Or Feel Explain Note value is missing.</p> <p>Guidance</p> <p>Note</p> <p>This is Optional field and only Required when Same High Or Feel Of AOD Code is selected as “Yes”.</p>

9.6.6 Level Of Risk Rating Fields

Fields and validation rules with errors associated with Level Of Risk Rating section for ADMH Update Assessment record creation. **Section # 7 describes all possible errors.**

Field	Description	Validation Rules
Intoxication Potential Code	The code indicates the question (Acute Intoxication and/or Withdrawal Potential Risk Rating?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Code value is invalid.</p>

Field	Description	Validation Rules
		<p>Required Rule Validation</p> <p>Intoxication Potential Code Required Rule [External Record ID] of the [failed record name] record failed because required field Intoxication Potential Code value is missing.</p>
Intoxication Potential Information Note	Indicates Information Supporting Intoxication Potential Risk Rating.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Information Note had an incorrect data type.</p>
		<p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Information Note had an invalid length format.</p>
		<p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Intoxication Potential Information Note value is invalid.</p>
		<p>Required Rule Validation</p> <p>Intoxication Potential Information Note Required Rule [External Record ID] of the [failed record name] record failed because required field Intoxication Potential Information Note value is missing.</p>
Biomedical Condition Code	The code indicates the question (Biomedical Conditions and	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Code had an incorrect data type.</p>

Field	Description	Validation Rules
	Complications Risk Rating?).	<p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Code value is invalid.</p> <p>Required Rule Validation</p> <p>Biomedical Condition Code Required Rule [External Record ID] of the [failed record name] record failed because required field Biomedical Condition Code value is missing.</p>
Biomedical Condition Information Note	Indicates information supporting medical condition risk rating.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Information Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Information Note had an invalid length format.</p> <p>Vocabulary Validation</p>

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Information Note value is invalid.</p> <p>Required Rule Validation</p> <p>Biomedical Condition Information Note Required Rule [External Record ID] of the [failed record name] record failed because required field Biomedical Condition Information Note value is missing.</p>
Emotional Complication Code	The code indicates the question (Emotional, Behavioral Cognitive Condition & Complications Risk Rating?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Emotional Complication Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Biomedical Condition Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Emotional Complication Code value is invalid.</p> <p>Required Rule Validation</p> <p>Emotional Complication Code Required Rule [External Record ID] of the [failed record name] record failed because required field Emotional Complication Code value is missing.</p>
Emotional Complication	Indicates information	<p>Data Type Validation</p>

Field	Description	Validation Rules
Information Note	supporting Emotional Complication risk rating..	String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Emotional Complication Information Note had an incorrect data type.
		Length Validation
		255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Emotional Complication Information Note had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Emotional Complication Information Note value is invalid.
Readiness To Change Code	The code indicates the question (Readiness to Change Risk Rating?).	Required Rule Validation
		Emotional Complication Information Note Required Rule [External Record ID] of the [failed record name] record failed because required field Emotional Complication Information Note value is missing.
		Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Code had an incorrect data type.
		Length Validation
50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Code had an invalid length format.		
		Vocabulary Validation

Field	Description	Validation Rules
		<p data-bbox="655 240 1898 272">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Code value is invalid.</p> <p data-bbox="655 418 1898 451">Required Rule Validation</p> <p data-bbox="655 451 1898 570">Readiness To Change Code Required Rule [External Record ID] of the [failed record name] record failed because required field Readiness To Change Code value is missing.</p>
<p data-bbox="191 570 394 711">Readiness To Change Information Note</p>	<p data-bbox="394 570 655 748">Indicates information supporting Readiness To Change risk rating.</p>	<p data-bbox="655 570 1898 602">Data Type Validation</p> <p data-bbox="655 602 1898 743">String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Information Note had an incorrect data type.</p> <p data-bbox="655 781 1898 813">Length Validation</p> <p data-bbox="655 813 1898 954">255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Information Note had an invalid length format.</p> <p data-bbox="655 987 1898 1019">Vocabulary Validation</p> <p data-bbox="655 1019 1898 1161">Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Readiness To Change Information Note value is invalid.</p> <p data-bbox="655 1193 1898 1226">Required Rule Validation</p> <p data-bbox="655 1226 1898 1351">Readiness To Change Information Note Required Rule [External Record ID] of the [failed record name] record failed because required field Readiness To Change Information Note value is missing.</p>

Field	Description	Validation Rules
Continue Problem Code	The code indicates the question (Relapse, Continued Use or Continues Problems Risk Rating?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Code had an invalid length format.
Continue Problem Information Note	Indicates information supporting Continue Problem risk rating.	Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Code value is invalid.
		Required Rule Validation
		Continue Problem Code Required Rule [External Record ID] of the [failed record name] record failed because required field Continue Problem Code value is missing.
Continue Problem Information Note	Indicates information supporting Continue Problem risk rating.	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Information Note had an incorrect data type.
		Length Validation
		255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Information Note had an invalid length format.

Field	Description	Validation Rules		
		Vocabulary Validation <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Information Note value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Information Note value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Continue Problem Information Note value is invalid.			
		Required Rule Validation <table border="1"> <tr> <td>Continue Problem Information Note Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Continue Problem Information Note value is missing.</td> </tr> </table>	Continue Problem Information Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Continue Problem Information Note value is missing.
Continue Problem Information Note Required Rule	[External Record ID] of the [failed record name] record failed because required field Continue Problem Information Note value is missing.			
Recovery Code	The code indicates the question (Recovery Living Environment Risk Rating?).	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an incorrect data type.
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an incorrect data type.			
		Length Validation <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an invalid length format.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an invalid length format.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code had an invalid length format.			
		Vocabulary Validation <table border="1"> <tr> <td>Must be a valid vocabulary from the provided code values</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code value is invalid.</td> </tr> </table>	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code value is invalid.
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Code value is invalid.			
		Required Rule Validation <table border="1"> <tr> <td>Recovery Code Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field Recovery Code value is missing.</td> </tr> </table>	Recovery Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Recovery Code value is missing.
Recovery Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Recovery Code value is missing.			
Recovery Information Note	Indicates information supporting	Data Type Validation <table border="1"> <tr> <td></td> <td></td> </tr> </table>		

Field	Description	Validation Rules
	Recovery risk rating.	<p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Information Note had an incorrect data type.</p> <p>Length Validation</p> <p>255 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Information Note had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Recovery Information Note value is invalid.</p> <p>Required Rule Validation</p> <p>Recovery Information Note Required Rule [External Record ID] of the [failed record name] record failed because required field Recovery Information Note value is missing.</p>

9.6.7 Assesses Level Of Care Fields

Fields and validation rules with errors associated with Assess Level Of Care section for ADMH Update Assessment record creation. **Section # 7 describes all possible errors.**

Table 41: Assesses Level of Care Fields Table

Field	Description	Validation Rules
Assessed Loc Code	The code indicates the question (Assessed Level Of Care?)	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code had an incorrect data type.</p>

Field	Description	Validation Rules								
		<p>Length Validation</p> <table border="1"> <tr> <td data-bbox="655 305 1024 410">50</td> <td data-bbox="1024 305 1906 410">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="655 467 1024 573">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1024 467 1906 573">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="655 630 1024 760">Assessed Loc Code Required Rule</td> <td data-bbox="1024 630 1906 760">[External Record ID] of the [failed record name] record failed because required field Assessed Loc Code value is missing.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code value is invalid.	Assessed Loc Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Assessed Loc Code value is missing.		
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Assessed Loc Code value is invalid.									
Assessed Loc Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Assessed Loc Code value is missing.									
Placed Loc Code	The code indicates the question (Placed Level Of Care?).	<p>Data Type Validation</p> <table border="1"> <tr> <td data-bbox="655 792 1024 914">String</td> <td data-bbox="1024 792 1906 914">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an incorrect data type.</td> </tr> </table> <p>Length Validation</p> <table border="1"> <tr> <td data-bbox="655 979 1024 1084">50</td> <td data-bbox="1024 979 1906 1084">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an invalid length format.</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <td data-bbox="655 1141 1024 1247">Must be a valid vocabulary from the provided code values</td> <td data-bbox="1024 1141 1906 1247">[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code value is invalid.</td> </tr> </table> <p>Required Rule Validation</p> <table border="1"> <tr> <td data-bbox="655 1304 1906 1352"></td> <td data-bbox="655 1304 1906 1352"></td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an incorrect data type.	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an invalid length format.	Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code value is invalid.		
String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an incorrect data type.									
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code had an invalid length format.									
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Placed Loc Code value is invalid.									

Field	Description	Validation Rules
		Placed Loc Code Required Rule [External Record ID] of the [failed record name] record failed because required field Placed Loc Code value is missing.
Difference Code	The code indicates the question (Reason for Differences?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Difference Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Difference Code had an invalid length format.
		Vocabulary Validation
		Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Difference Code value is invalid.
		Required Rule Validation
		Difference Code Required Rule [External Record ID] of the [failed record name] record failed because required field Difference Code value is missing.
Appropriate Code	The code indicates the question (Is an appropriate release for this information on file for this client?).	Data Type Validation
		String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Appropriate Code had an incorrect data type.
		Length Validation
		50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Appropriate Code had an invalid length format.
		Vocabulary Validation

Field	Description	Validation Rules
		<p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Appropriate Code value is invalid.</p> <p>Required Rule Validation</p> <p>Appropriate Code Required Rule [External Record ID] of the [failed record name] record failed because required field Appropriate Code value is missing.</p>
Indignant Code	The code indicates the question (Has a court of law established this client to be an indignant offender?).	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Indignant Code had an incorrect data type.</p> <p>Length Validation</p> <p>50 [External Record ID] of the [failed record name] record from [Upload file] submission failed because Indignant Code had an invalid length format.</p> <p>Vocabulary Validation</p> <p>Must be a valid vocabulary from the provided code values [External Record ID] of the [failed record name] record from [Upload file] submission failed because Indignant Code value is invalid.</p> <p>Required Rule Validation</p> <p>Indignant Code Required Rule [External Record ID] of the [failed record name] record failed because required field Indignant Code value is missing.</p>

9.7 Discharge

9.7.1 Description

This section includes the Discharge of a client from services. A Discharge record will be uniquely identified in the Alabama WITS by the “**External Discharge Record Id**”.

Note: If the prior Assessment Date is more than 45 days prior to the Discharge Date, a new update assessment is required, and the client program enrollment needs to be closed before a client discharge record can be created.

9.7.2 Key Fields

ExternalDischargeRecordId

9.7.3 Fields

Fields and validation rules with errors associated for **Discharge** record creation. **Section # 7 describes all possible errors.**

Table 42: External Discharge Fields Table

Field	Description	Validation Rules		
External Discharge Record Id	The Provider's internal system identifier for the Client Discharge Record.	Data Type Validation <table border="1"> <tr> <td>String</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an incorrect data type.</td> </tr> </table>	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an incorrect data type.
		String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an incorrect data type.	
		Length Validation <table border="1"> <tr> <td>50</td> <td>[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an invalid length format.</td> </tr> </table>	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an invalid length format.
50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because External Discharge Record Id had an invalid length format.			
Required Rule Validation <table border="1"> <tr> <td>External Discharge Record Id Required Rule</td> <td>[External Record ID] of the [failed record name] record failed because required field External Discharge Record Id value is missing.</td> </tr> </table>	External Discharge Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Discharge Record Id value is missing.		
External Discharge Record Id Required Rule	[External Record ID] of the [failed record name] record failed because required field External Discharge Record Id value is missing.			

Field	Description	Validation Rules
		<p>Guidance</p> <p>The ExternalClientRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. If the source system does not have a unique identifier, one can be constructed. A constructed RecordIdentifier might contain the values that make this record unique and never change.</p>
Discharge Date	Discharge date is the date when the client is discharged from the services.	<p>Data Type Validation</p> <p>datetime [External Record ID] of the [failed record name] record from [Upload file] submission failed because Discharge Date had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Discharge Date Required Rule [External Record ID] of the [failed record name] record failed because required field Discharge Date value is missing.</p> <p>Discharge Date Format (YYYY-MM-DD) Rule [External Record ID] of the [failed record name] from [Upload file] submission failed because Discharge Date format is invalid.</p>
Program Enrollment Last Contact Date	This Date indicates the day when the client was last in contact during the program.	<p>Data Type Validation</p> <p>String [External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Last Contact Date had an incorrect data type.</p> <p>Required Rule Validation</p> <p>Program Enrollment Last Contact Date Required Rule [External Record ID] of the [failed record name] record failed because required field Program Enrollment Last Contact Date value is missing.</p>

Field	Description	Validation Rules
	Program Enrollment Last Contact Date Format (YYYY-MM-DD) Rule	[External Record ID] of the [failed record name] from [Upload file] submission failed because Program Enrollment Last Contact Date format is invalid.
Program Enrollment Termination Reason Code	Data Type Validation	
	String	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Termination Reason Code had an incorrect data type.
	Length Validation	
	50	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Termination Reason Code had an invalid length format.
	Vocabulary Validation	
Must be a valid vocabulary from the provided code values	[External Record ID] of the [failed record name] record from [Upload file] submission failed because Program Enrollment Termination Reason Code value is invalid.	
Required Rule Validation		
Program Enrollment Termination Reason Code Required Rule	[External Record ID] of the [failed record name] record failed because required field Program Enrollment Termination Reason Code value is missing.	